

Author index

- Adam, F. *see* Alfonsi, P.
- Adams, A.K. Chinese herbal medicines, 385
- Addei, A. Treatment of laryngospasm, 188
- Adekanye, O. and Wali, A.R. Oxygen delivery failure, 190
- Adke, M. and Mendonca, C. Concealed airway complication during LeFort I osteotomy, 294
- Afzaal, A., Kirk-Bayley, J. and Uncles, D.R. Something to chew over?, 1242
- Agrawal, A., McLure, H.A. and Dabbs, T.R. Allergic reaction to hyaluronidase after a peribulbar injection, 493
- Agro, F., Barzoi, G. and Montecchia, F. The oesophageal tracheal combitube: a pilot study on airflow resistance and ventilatory pressures in 26 anaesthetised patients, 722
- Agro, F., Barzoi, G., Carasiti, M. and Galli, B. Getting the tube in the oesophagus and oxygen in the trachea: preliminary results with the new supraglottic device (Cobra™) in 28 anaesthetised patients, 920
- Aguilar, J.M. *see* Guasch, E.
- Aguilera, I.M. *see* Raj, N.
- Ahlén, *see* Eldor, J.
- Ahmed, A.B. *see* Roscoe, A.
- Ahmed, S.M., Maroof, M., Khan, R.M., Singhal, V. and Rizvi, K.A. A comparison of the laryngeal mask airway and PA_{xpress}™ for short surgical procedures, 42
- Ahuja, S. *see* Saxena, N.
- Akamastu, S. *see* Terazawa, E.
- Akca, O., Liem, E., Suleman, M.-I., Doufas, A.G., Galandiuk, S. and Sessler, D.I. Effect of intra-operative end-tidal carbon dioxide partial pressure on tissue oxygenation, 536
- Al Shamaa, M., Jefferson, P. and Ball, D.R. Lingual tonsil hypertrophy: airway management, 1134
- Alam, M.T. *see* Khan, R.M.
- Alexander-Williams, M. *see* Duffy, M.R.
- Alfonsi, P., Nourredine, K.E.A., Adam, F., Chauvin, M. and Sessler, D.I. Effect of postoperative skin-surface warming on oxygen consumption and the shivering threshold, 1224
- Ali, A. *see* Leong, L.M.C.
- Ali, L., Sidebottom, P., Laban, M.M. and Lynn, J. Remifentanyl sedation for parathyroidectomy, 928
- Ali, S. *see* Lamb, F.J.
- Ali, S.Z., Taguchi, A., Holtmann, B. and Kurz, A. Effect of supplemental pre-operative fluid on postoperative nausea and vomiting, 780
- Allen, R.W. *see* Murnaghan, J.M.
- Alptekin, B. *see* Cohen, S.
- Al-Shaikh, B. Capnography through the lumen of a tracheal tube guide, 809
- Altemir, F.H., Montero, S.H. and Peña, M.M. About submental intubation, 496
- Ambesh, S.P. *see* Sinha, P.K.
- Ambler, J.J.S. *see* Gande, A.R.
- Amemiya, N. *see* Oosthuysen, S.
- Amoako, D. and Lavies, N.G. Drug syringe labelling – does complacency come with age?, 816
- Anders, N.R.K. *see* Dolling, S.
- Anderson, K.J. *see* Harten, J.M.
- Anderson, R.E., Barr, G., Assareh, H. and Jakobsson, J. The AAI™ index, the BIS index and end-tidal concentration during wash in and wash out of sevoflurane, 531
- Andrews, P. Stylet for reinforced laryngeal mask airway, 290
- Angerson, W.J. *see* Harten, J.M.
- Annamaneni, R., Hodzovic, I., Wilkes, A.R. and Latto, I.P. A comparison of simulated difficult intubation with multiple-use and single-use bougies in a manikin, 45
- Annamaneni, R. *see* Lim, M.M.
- Anwari, J.S. and Iqbal, S. Antihistamines and potentiation of opioid induced sedation and respiratory depression, 494
- Aoki, K. *see* Nakajima, H.
- Apfel, C.C., Koivuranta, M., Thomas, B., Sweeney, B., Thomas, R., Jones, N. and Strike, P. Study of postoperative nausea and vomiting: recommending risk models for group comparisons, 492
- Appelboom, R. *see* Lynch, J.
- Armstrong, J. Managing accidentally cut epidural catheters, 1139
- Arthurs, G. *see* Davies, R.G.
- Asai, T. and Shingu, K. Where is the narrowest segment in the upper airway?, 813
- Asai, T., Moriyama, S., Nishita, Y. and Kawachi, S. Use of the laryngeal tube during cardiopulmonary resuscitation by paramedical staff, 393
- Asai, T., Murao, K. and Shingu, K. Capnography during fiberoptic intubation, 113
- Asai, T., Murao, K. and Shingu, K. Training method of applying pressure on the neck for laryngoscopy: use of a videolaryngoscope, 602
- Asai, T., Shingu, K. and Fujise, K. A method of blood conservation in Jehovah's witnesses, 1043
- Asai, T. *see* Kiyama, S.
- Asbury, A.J. *see* Hilditch, W.G.
- Ashraf, M. *see* Khan, R.M.
- Aspinall, P. The use of ethnicity to identify the population at risk in pre-operative sickle cell screening, 1121
- Assareh, H. *see* Anderson, R.E.
- Ateleanu, B. *see* Mendonca, C.
- Avidan, A. Pulse oximeter ear probe, 726
- Awad, I.T. *see* Sherwin, J.
- Azadian, B. *see* Theaker, C.
- Bach, R. *see* Hirsch, J.
- Bahlmann, U.B. *see* Sivasankar, R.
- Baines, D. A response to 'Emergency physicians are not anaesthetists', Baigel GD, *Anaesthesia* 2002; 57: 1218–19., 406
- Baker, A.B. *see* Jenkins, K.
- Baker, P. *see* Brown, C.
- Balachandran, S. *see* Davies, R.
- Balacumaraswami, L. *see* Orne, R.M.L.E.
- Balasubramaniam, B. and Park, G.R. Sexual hallucinations during and after sedation and anaesthesia, 549
- Baldock, G. *see* Waheed, U.
- Baldwin, T.J. *see* White, S.M.
- Ball, D. A response to the on-line correspondence from Davies JR, above., 619
- Ball, D.R. and Jefferson, P. Airway management training for all, 185

- Ball, D.R., Clark, M., Jefferson, P. and Stewart, T. Improved submental intubation, 189
- Ball, D.R. *see* Al Shamaa, M.
- Ball, D.R. *see* Barron, F.A.
- Ball, D.R. *see* Dagg, L.E.
- Ball, D.R. *see* Jefferson, P.
- Ball, D.R. *see* White, E.
- Ball, D.R. *see* Whyte, E.
- Ball, J.A.S. and Grounds, R.M. Calibration of three capnographs for use with helium and oxygen gas mixtures, 156
- Bamber, J. *see* Sehgal, A.
- Bandara, L. In response to 'Adverse events following NPSA guidelines', Slater R.M., Shaw J. *Anaesthesia* 2003; 58: 817., 1154
- Bandara, L. In response to 'Locking the K away', Phypers B., Thomas R. *Anaesthesia* 2003; 58: 816-7., 1154
- Banks, S.L. *see* Paech, M.J.
- Barber, N. *see* Singelyn, F.J.
- Barber, N. *see* Denny, N.M.
- Barclay, P. *see* King, H.
- Barker, I. The management of succinylcholine apnoea, 1144
- Barker, K. *see* Cumming, C.
- Barr, G. *see* Anderson, R.E.
- Barron, F.A., Ball, D.R., Jefferson, P. and Norrie, J. 'Airway Alerts'. How UK anaesthetists organise, document and communicate difficult airway management, 73
- Barry, J. *see* Hellier, C.
- Barzoi, G. *see* Agrò, F.
- Bataller, M.L. *see* Cantó, M.
- Baudouin, S.V. *see* Robson, V.
- Baxter, S., Brooks, A. and Cook, T. Use of a ProSeal LMA for maintenance after failed intubation during a modified rapid sequence induction, 1132
- Beechey, A.P. *see* Hamed, M.
- Begg, A., Drummond, G. and Tiplady, B. Assessment of postsurgical recovery after discharge using a pen computer diary, 1101
- Belch, J.J.F. *see* Newton, D.J.
- Bell, D. Editorial 1. Avoiding adverse outcomes when faced with 'difficulty with ventilation', 945
- Benham, S.W., Mallick, A. and Elliot, S.C. Capnography defects tracheal placement, but is it 'correct?', 1240
- Bennett, J. *see* Elliott, R.A.
- Benton, J. *see* Bourdeaux, C.
- Benumof, J.L. *see* Kuczkowski, K.M.
- Benumof, J.L. New airway devices, 810
- van den Berg, A.A. Towards needleless induction of anaesthesia, 806
- Berridge, J. *see* Claxton, B.A.
- Bertalanffy, P. *see* Fleischhackl, R.
- Bertolini, G., Rossi, C., Brazzi, L. and Simini, B. Local clinical research and changes in local clinical practice, 199
- Bewley, J.S. Immediate postanaesthetic recovery, 87
- Bhadresha, S. A response to 'Vegetarian anaesthesia', Krishna G M. *Anaesthesia* 2003; 58: 501., 829
- Bhala, B. Drug mix-up during resuscitation, 935
- Bhala, B.B. A response to 'Uncommon cause of itchy back in pregnancy', Ng HP, Plaat F. *Anaesthesia* 2003; 58: 399-400., 1148
- Bhishma, R. *see* Ramachandran, K.
- Biloliker, A. *see* Prabhu, A.
- Bingham, B. Paediatric anaesthesia: past, present and future, 1194
- Birks, A. *see* Birks, R.J.S.
- Birks, R. *see* Lee, E.
- Birks, R.J.S. and Simpson, P.J. Editorial 2. Syringe labelling – an international standard, 518
- Bishop, P. and Patel, A. The intubating laryngeal mask and laser surgery, 915
- Bissonnette, B. *see* Karsli, C.
- Biswas, G. *see* Vanarase, M.
- Blagrove, M. *see* Bromley, L.M.
- Bodenham, A. *see* Wright, S.E.
- Boldt, J. *see* Roehm, K.D.
- Bolton, T.J., Randall, K. and Yentis, S.M. Effect of the Confidential Enquiries into Maternal Deaths on the use of Syntocinon® at Caesarean section in the UK, 277
- Bone, E.G. and Walker, G. A response to 'Problems performing a sciatic nerve block in an amputee', Lok C, Kirk P. *Anaesthesia* 2003; 58: 289-90., 621
- Bong, C. *see* Cadamy, A.J.
- Bonhomme, V. *see* Levaux, Ch.
- Booij, L.H.D.J. *see* Diagos, P.
- Booij, L.H.D.J. *see* Driessen, J.J.
- Booth, M.G. and Mackenzie, S. Pandora's Box contains no easy solution, 480
- Booth, M.G. *see* Harten, J.M.
- Booth, S.A., Wilkins, M.L., Smith, J.M. and Park, G.R. Who to report to the Coroner? A survey of intensive care unit directors and Her Majesty's Coroners in England and Wales, 1204
- Bos, J.A.G. *see* Diagos, P.
- Bosch, O.D. Oral concretions – a potential hazard for the airway, 814
- Boscoe, M.J. Gum elastic bougies, 104
- Bourdeaux, C. and Benton, J. Post intubation airway obstruction in thyroid surgery, 187
- Bourne, R.S., Webber, S.J. and Hutchinson, S.P. Adrenal axis testing and corticosteroid replacement therapy in septic shock patients – local and national perspectives, 591
- Bowes, J. *see* Morton, G.
- Bowie, R.A., O'Connor, P.J. and Mahajan, R.P. Cerebrovascular reactivity to carbon dioxide in sepsis syndrome, 261
- Boyce, H. and Satya-Krishna, R. Anaesthesia in an adolescent with Ohtahara syndrome, 1029
- Braidley, P.C. *see* Mellor, A.
- Brain, A.I.J. and Verghese, C. Correct fixation of LMA ProSeal™, 922
- Brandner, B. *see* Bromley, L.M.
- Brazzi, L. *see* Bertolini, G.
- Breslin, D. *see* MacLeod, D.
- Breslin, D.S., Farling, P.A. and Mirakhur, R.K. The use of remifentanyl in the anaesthetic management of patients undergoing adrenalectomy: A report of three cases, 358
- Breslin, D.S. *see* Grant, S.A.
- Brett, S. *see* Waheed, U.
- Brichant, J.F. *see* Levaux, Ch.
- Brimacombe, J. and Brimacombe, N. The ProSeal laryngeal mask airway: an easier and safer approach to tracheal tube/laryngeal mask exchange, 1242
- Brimacombe, J., Diprose, T., Lim, Y. and Keller, C. ProSeal exchange using a gum elastic bougie in the lateral body position, 1133
- Brimacombe, J. *see* Hellier, C.
- Brimacombe, J. *see* Keller, C.
- Brimacombe, N. *see* Brimacombe, J.
- Britsch, K. *see* Cook, T.M.
- Bromilow, J. and McCormick, A. A novel role for magnesium?, 1246

- Bromilow, J. *see* Dalglish, D.
- Bromley, L.M., Brandner, B. and Blagrove, M. Sleep quality following general anaesthesia, 1123
- Brooks, A. *see* Baxter, S.
- Broome, I.J. *see* James, S.
- Brown, C., Edwards, G. and Baker, P. A response to 'Impact of an Outreach team on re-admissions to a critical care unit', Leary T, Ridley S, *Anaesthesia* 2003; 58: 328-32., 828
- Brown, J. A response to 'Impact of an Outreach team on re-admissions to a critical care unit', Leary T, Ridley S, *Anaesthesia* 2003; 58: 328-32., 828
- Brown, J.L., Varma, S., Morgan-Hughes, N.J. and Rocco, G. Thrombosis related to emergency factor VIIa treatment, 1245
- Brown, N.W., Parsons, A.P.R. and Kam, P.C.A. Anaesthetic considerations in a parturient with varicella presenting for Caesarean section, 1092
- Browne, B. *see* Ward, M.M.
- Browne, D. *see* Sturgess, J.E.
- Browne, G.J. and Wilkins, B.H. Editorial 1. Use of intravenous salbutamol in acute severe asthma, 729
- Brownlow, H. *see* Picton, P.
- Buex, M.J.L., de Gast, H.M., Veldhuis, J., Hassing, L.H., Meulemans, A. and Kammeyer, A. The effect of mechanical cleaning and thermal disinfection on light intensity provided by fibrelight Macintosh laryngoscopes, 461
- Burns, R., McCrae, A.F. and Tiplady, B. A comparison of target-controlled with patient-controlled administration of propofol combined with midazolam for sedation during dental surgery, 170
- Burns, R., McCrae, A.F., Doyle, E. and Wilson, K.E. Paediatric dental sedation, 495
- Butler, P. A response to 'Post dural puncture headache', Davies J.R., *Anaesthesia* 2003; 58: 398., 829
- Butwick, A., Carter, P. and Dolin, S.J. A pilot study of the effect of the Queen's Square external bladder stimulator on urinary retention after knee replacement surgery, 587
- Bythell, V.E., Mowbray, P. and Cooper, D.W. Phenylephrine in obstetric regional anaesthesia, 288
- Cadamy, A.J. and Bong, C. Awareness and traumatic recall of cricoid pressure, 91
- Caesar, H. *see* Dunstan, C.R.
- Campbell, F.A. *see* Griffiths, D.P.G.
- Cantó, M., Sánchez, M.J., Casas, M.A. and Bataller, M.L. Bilateral paravertebral blockade for conventional cardiac surgery, 365
- Cara, D.M., Norris, A.M. and Neale, L.J. Pain during awake nasal intubation after topical cocaine or phenylephrine/lidocaine spray, 777
- Carassiti, M. *see* Agrò, F.
- Carey, C.R. and Stenz, R. Paediatric central venous catheter insertion, 1127
- Carpenter, T.A. *see* Coles, J.P.
- Carter, J.A. *see* Sanehi, O.
- Carter, P. *see* Butwick, A.
- Casas, M.A. *see* Cantó, M.
- Cascianini, A. *see* Spencer, G.T.
- Cascianini, E.A. *see* Magi, E.
- Casey, W.F. Web addresses, 826
- Chabra, J. *see* Khan, R.M.
- Chadwick, F.D. *see* Wong, P.
- Chadwick, S. *see* Ramachandran, K.
- Chan, K.L., Chan, M.T.V. and Gin, T. Mainstream vs. sidestream capnometry for prediction of arterial carbon dioxide tension during supine craniotomy, 149
- Chan, M.T.V. *see* Chan, K.L.
- Chandradeva, K. *see* Hearn, C.M.
- Chappell, B. *see* Malik, M.S.
- Charters, P. *see* Halligan, M.
- Chauvin, M. *see* Alfonsi, P.
- Cheema, S., Richardson, J. and McGurgan, P. Factors affecting the spread of bupivacaine in the adult thoracic paravertebral space, 684
- Chelliah, S. Remifentanyl infusion rate calculation, 104
- Chen, D.Q. *see* Critchley, L.A.H.
- Chen, P.P. *see* Man, A.K.Y.
- Chen, W.Y. *see* Lu, C.C.
- Chilvers, J.P., Cooper, G. and Wilson, M. Myocardial ischaemia complicating an elective Caesarean section, 822
- Chu, T.T. *see* Critchley, L.A.H.
- Chulu, A. Anaesthetic management of the parturient with massive peripartum haemorrhage and fetal demise, 933
- Civantos, B. *see* Guasch, E.
- Clark, J. *see* Mellor, A.
- Clark, M. *see* Ball, D.R.
- Clark, M.J. and Sellers, W.F.S. Post dural puncture headache, 101
- Clark, M.J. *see* Gund, V.K.
- Clark, R. *see* Smith, C.
- Claxton, B. *see* Kleinsasser, A.
- Claxton, B.A., Morgan, P., McKeague, H., Mulpur, A. and Berridge, J. Alveolar recruitment strategy improves arterial oxygenation after cardiopulmonary bypass, 111
- Coetzee, G.J. Eliminating protein from reusable laryngeal mask airways. A study comparing routinely cleaned masks with three alternative cleaning methods, 346
- Coetzee, G.J. Flow through disposable alternatives to the laryngeal mask, 280
- Cohen, S., Fernandez, N., Groysman, R. and Soremekun, O. Loss of consciousness from epidural sufentanil for labour analgesia, 487
- Cohen, S., Uzum, N. and Alptekin, B. Aseptic precautions for inserting an epidural catheter, 930
- Cole, B. *see* Zwaal, J.W.
- Coles, J.P., Steiner, L.A., Martin, J., Donovan, T., Hutchinson, P.J., Carpenter, T.A. and Menon, D.K. Assessment of the Ventrix parenchymal intracranial pressure monitoring probe (NL950-P) and Monitor (NL950-100) in a 3 Tesla magnetic resonance scanner, 143
- Collis, H. Howells R. *see* Davies, P.
- Collis, R.E. *see* Mendonca, C.
- Combeer, A. and Pattison, M. Unfinished business, 185
- Combeer, E. Incorrect blood results, 1244
- Connolly, D. Orthopaedic anaesthesia, 1189
- Conway, D.H. *see* Harten, J.
- Cook, T. *see* Baxter, S.
- Cook, T. Pulmonary aspiration during spontaneous ventilation through an Airway Management Device™, 916
- Cook, T.M., Rudd, P., McCormick, B., Hersch, P., Simpson, T., Gupta, K.J., Nolan, J.P., Britsch, K. and Harmer, M. An evaluation of the PAXpress Pharyngeal Airway, 191
- Cook, T.M. Novel Airway Devices: Spoil for Choice?, 107
- Cooper, D.W. *see* Bythell, V.E.
- Cooper, G. *see* Chilvers, J.P.
- Cooper, S. *see* Farling, P.
- Corbridge, R. *see* Dering, A.
- Corry, P., Sanjay, P.S., Russell, G.N. and Pennefather, S.H. Confirming the position of the thoracic epidural catheter – a valuable sign, 929
- Corry, P. *see* King, H.

- Costa, A.X., Ridley, S.A., Shahani, A.K., Harper, P.R., De Senna, V. and Nielsen, M.S. Mathematical modelling and simulation for planning critical care capacity, 320
- Coupe, M. Critical incident involving an adjustable tracheostomy tube, 388
- Coupe, M.H. Flash forward: the new flashback?, 93
- Crabtree, J. *see* Davies, J.R.
- Crawford, J.M. *see* Hilditch, W.G.
- Crean, P.M., Stokes, M.A., Williamson, C. and Hatch, D.J. Quality in paediatric anaesthesia: a pilot study of interdepartmental peer review, 543
- Critchley, L.A.H., Chen, D.Q., Chu, T.T., Fok, B.S. and Yeung, C. Pre-operative hepatitis in a woman treated with Chinese medicines, 1096
- Crossley, D.J. *see* Zych, Z.
- Crowe, S. and Fitzpatrick, G. Making herbal medicines safe, 184
- Cumming, C. and Barker, K. A response to 'The effect of neuromuscular blockade on the efficiency of mask ventilation of the lungs', Goodwin MWP *et al.*, *Anaesthesia* 2003; 58: 60-2, 617
- Cumming, C. and Barker, K. Convulsions following axillary brachial plexus blockade with levobupivacaine (1), 610
- Currie, E. *see* Olday, J.
- Cyna, A.M. Hypno-analgesia for a labouring parturient with contra-indications to central neuraxial block, 101
- Czosnyka, M. *see* Steiner, L.A.
- Dabas, R. and Vohra, S.B. Fresh frozen plasma for succinylcholine apnoea - time to reconsider?, 815
- Dabbs, T.R. *see* Agrawal, A.
- Dagg, L.E. and Wrathall, D.W. Dystonic reactions to cyclizine, 724
- Dagg, L.E., Jefferson, P. and Ball, D.R. 'Hold up' and the gum elastic bougie, 103
- Dal, D. Simultaneous coronary bypass surgery and same anaesthetic technique in identical twins, 497
- Dalgleish, D. and Bromilow, J. The Proseal laryngeal mask, 810
- Dalgleish, D. A response to 'A reply', Coglianò M *et al.*, *Anaesthesia* 2002; 57: 1235-6, 404
- Danbury, C.M. and Harmer, M. General principles of consent, 281
- Davies, A.G., Russell, W.C. and Thompson, J.P. Extravasation and tissue necrosis secondary to central line infusions, 820
- Davies, J. A response to 'Airway Alerts. How the UK anaesthetists organise, document and communicate difficult airway management', Barron FA *et al.*, *Anaesthesia* 2003; 58: 73-6, 618
- Davies, J.R. and Crabtree, J. Inadequate labelling of an unconventional device, 916
- Davies, J.R. and Dyer, P.V. Preventing damage to the tracheal tube during maxillary osteotomy, 914
- Davies, J.R. A response to 'Post dural puncture headache' Davies JR, *Anaesthesia* 2003; 58: 398, 1150
- Davies, J.R. Post dural puncture headache, 398
- Davies, L.M. *see* Elliott, R.A.
- Davies, P. and Collis, H. Howells R. Hypotension following combined spinal epidural anaesthesia, 932
- Davies, R. and Balachandran, S. Anterior commissure laryngoscope, 721
- Davies, R.G. and Arthurs, G. Lateral cutaneous nerve of the thigh pain in association with inguinal hernia repair, 489
- Davies, R.G. *see* Subbe, C.P.
- Davis, N. *see* Dhileepan, S.
- De Senna, V. *see* Costa, A.X.
- Dearlove, O. *see* Pratt, O.
- Demeere, J.-L. and Dikmen, Y. Pulmonary mechanics and volatile anaesthesia, 1248
- Demeys, D. *see* Grant, S.A.
- Demirölük, S. *see* Dikmen, Y.
- Denny, N.M., *see* Singelyn, F.J.
- Denny, N.M., Barber, N. and Sildown, D.J. Evaluation of an insulated Tuohy needle system for the placement of interscalene brachial plexus catheters, 554
- Derbyshire, D. A response to 'Different clocks, different times...', Sehgel A, Bamber J, *Anaesthesia* 2003; 58: 398, 621
- D'Ercole, F. *see* Grant, S.A.
- Dering, A., Corbridge, R. and Kitching, A. The Negus slotted laryngoscope, 1242
- Dewandre, P.Y. *see* Levaux, Ch.
- Dhamrait, R.S. Airway obstruction following potassium permanganate ingestion, 606
- Dhamrait, R.S. Anaesthetic equipment - familiarity is comforting, but check it, 482
- Dhileepan, S., Davis, N., Pirota, D. and Sprigge, J. Convulsions following axillary brachial plexus blockade with levobupivacaine (2), 611
- Diagos, P., Bos, J.A.G., Verrips, A. and Booij, L.H.D.J. Giant axonal neuropathy and anaesthesia, 723
- Dick, J. and Newton, M. Bronchospasm or blocked tracheal tube?, 718
- Dietrich, G.V. *see* Hirsch, J.
- Dikmen, Y. *see* Demeere, J.-L.
- Dikmen, Y., Eminoglu, E., Salihoglu, Z. and Demirölük, S. Pulmonary mechanics during isoflurane, sevoflurane and desflurane anaesthesia, 745
- Dinsmore, J. *see* Pemberton, P.L.
- Diprose, T. *see* Brimacombe, J.
- Djaiani, G.N. *see* Klein, A.A.
- Dobson, A. *see* O'Connor, D.
- Dodds, C. *see* Murray, D.
- Dodds, S. *see* Donaldson, L.
- Doehn, M. and Monaca, E. The nasal intubation aid (NIA), 1029
- Doherty, D.A. *see* Paech, M.J.
- Dohi, S. *see* Terazawa, E.
- Dolin, S.J. *see* Butwick, A.
- Dolin, S.J. *see* Khan, M.
- Dolling, S., Anders, N.R.K. and Rolfé, S.E. A comparison of deep vs. awake removal of the laryngeal mask airway in paediatric dental daycase surgery. A randomised controlled trial, 1224
- Dombrowski, A., Popat, M. and Farmery, A. Fibreoptic equipment and prion disease, 90
- Donaldson, L., Dodds, S. and Walsh, T.S. Clinical evaluation of a continuous oxygen consumption monitor in mechanically ventilated patients, 455
- Donaldson, P. *see* Nicholson, J.P.
- Donner, A. *see* Holzer, A.
- Donnison, P. *see* Taylor, B.
- Donovan, T. *see* Coles, J.P.
- Dörmer, C. *see* Fleischhackl, R.
- Doufas, A.G. *see* Akça, O.
- Down, J.F. and McLeod, A.D.M. Todd's paralysis following sedation for sleep nasendoscopy, 198
- Doyle, E. *see* Burns, R.
- Dravid, R. *see* Nalwaya, P.
- Drewery, H. *see* Taylor, C.
- Driessen, J.J., van Oort, A.M. and Booij, L.H.D.J. Severe myocardial ischaemia during mask induction of anaesthesia in an infant with unknown critical supravalvular aortic stenosis, 568
- Driver, I.K. *see* Nicholson, J.P.

- Drummond, G. *see* Begg, A.
 Drummond, G.B. *see* Olday, J.
 Dueck, M. *see* Paul, M.
 Duffy, M.R., Wood, R.J. and Alexander-Williams, M. Safety and effectiveness of epidurals, 97
 Duggan, J.E. *see* Haslam, N.
 Dunkley, C. *see* Harper, N.
 Dunstan, C.R. and Caesar, H. Difficult airway alert, 918
 Dyer, P.V. *see* Davies, J.R.
 Dykes, S. *see* Sellers, W.F.S.
- Earl, D.S., Grimes, S. and Kinsella, S.M. Pain control in day-case surgery, 100
 Edgar, J. and Glavin, R. Assessing the learning needs of college tutors in anaesthesia: proposals for an introductory learning package, 1003
 Edmondson, L. *see* Haslam, N.
 Edwards, G. *see* Brown, C.
 Edwards, V.A. *see* Jefferson, P.
 Eggermont, A.M.M. *see* Hoffland, J.
 van Eijck, C.H.J. *see* Hoffland, J.
 El Rajab, M. *see* Naja, M.Z.
 Eldor, J. and Ahlén, K. Local anaesthetic antibacterial activity, 926
 Elliot, S.C. *see* Mallick, A.
 Elliot, S.C. *see* Benham, S.W.
 Elliott, J. *see* Mearns, C.
 Elliott, R. *see* Lake, A.P.J.
 Elliott, R.A., Payne, K., Moore, J.K., Harper, N.J.N., St Leger, A.S., Moore, E.W., Thoms, G.M.M., Pollard, B.J., McHugh, G.A., Bennett, J., Lawrence, G., Kerr, J. and Davies, L.M. Clinical and economic choices in anaesthesia for day surgery: A prospective randomised controlled trial, 412
 Elliott, S.M. *see* Williams, M.T.
 Elrazek, E.A. Medico legal awareness regarding unlicensed drug administration, 1128
 El-Sayeh, S. and Lavies, N.G. Pre-operative information about anaesthesia – is more better?, 1119
 Eminoglu, E. *see* Dikmen, Y.
 Erasmus, P.D. Digital block improves pulse oximetry signal in vasoconstricted patients, 1033
 Erdmann, W. *see* Hoffland, J.
 Esen, U.I. Fetal distress and the 30-minute rule, 1249
 Evans, A., Vaughan, R.S., Hall, J.E., Mecklenburgh, J. and Wilkes, A.R. A comparison of the forces exerted during laryngoscopy using disposable and non-disposable laryngoscope blades, 869
 Evans, E. A response to 'Anaesthetists and care of the critically ill child', Tomlinson A. *Anaesthesia* 2003; 58: 309–11., 829
 Evans, G.A. *see* Gray, J.S.
 Ewen, S.P. *see* Williams, M.T.
 Ezri, T., Gewürtz, G., Sessler, D.I., Medalion, B., Szmuk, P., Hagberg, C. and Susmalian, S. Prediction of difficult laryngoscopy in obese patients by ultrasound quantification of anterior neck soft tissue, 1111
- Fah, K.K. *see* Teo, A.
 Farling, P. and Smith, G. Anaesthesia for patients with Creutzfeldt-Jakob disease. A practical guide., 627
 Farling, P.A. *see* Train, J.J.A.
 Farling, P., McBrien, M.E. and Winder, R.J. Magnetic resonance compatible equipment: read the small print!, 86
 Farling, P., Popat, M. and Cooper, S. Fiberoptic equipment and variant Creutzfeldt-Jakob disease, 716
- Farling, P. A response to 'Post intubation airway obstruction in thyroid surgery', Bourdeaux C, Benton J, *Anaesthesia* 2003; 58: 187–8., 620
 Farling, P.A. *see* Breslin, D.S.
 Farling, P.A. The neuroanaesthesia workforce in Great Britain and Ireland, 17
 Farnery, A. *see* Dombrowski, A.
 Farnery, A.D. and Shlugman, D. Reduced postoperative pain and nausea after sub-Tenon's anaesthesia, 929
 Farrar, J.J. *see* Thwaites, C.L.
 Feneck, R.O. Cardiac anaesthesia: the last 10 years, 1171
 Ferguson, K. *see* Hearn, C.M.
 Fernandez, C.L. *see* Kuczkowski, K.M.
 Fernandez, N. *see* Cohen, S.
 Fikkers, B.G. *see* Morgan, P.
 Fitzpatrick, G. *see* Crowe, S.
 Fitzwilliams, B. Injection cap with missing septum, 94
 Fleischhackl, R., Dörner, C., Scheck, T., Fleischhackl, S., Hafez, J., Kober, A., Bertalanffy, P. and Hoerauf, K. Reduction of motion sickness in prehospital trauma care, 373
 Fleischhackl, S. *see* Fleischhackl, R.
 Fletcher, G. *see* Flin, R.
 Flin, R., Fletcher, G., McGeorge, P., Sutherland, A. and Patey, R. Anaesthetists' attitudes to teamwork and safety, 233
 Fludder, V. and Osmer, C. Are five minutes enough?, 808
 Fok, B.S. *see* Critchley, L.A.H.
 Foster, P. Drug syringe labelling, 99
 Fouhy, S.A. *see* Kuczkowski, K.M.
 Francis, A. *see* Gibbs, R.H.
 de Francis, G. *see* Iacobucci, T.
 Frost, P. In response to 'Effect of introducing the Modified Early Warning score on clinical outcomes, cardio-pulmonary arrests and intensive care utilisation in acute medical admissions', Subbe CP *et al.*, *Anaesthesia* 2003; 58: 797–802., 1154
 Fruendt, H. *see* Paul, M.
 Fujise, K. *see* Asai, T.
 Füssel, U. *see* Weber, F.
- Galandiuk, S. *see* Akca, O.
 Galeone, M. *see* Iacobucci, T.
 Galletly, D.C. *see* Ryan, A.D.
 Galli, B. *see* Agrò, F.
 Gande, A.R., Ambler, J.J.S., Haw, M.P. and Gill, R.S. Remifentanyl for phaeochromocytoma resection, 196
 Garrioch, M.A. *see* Price, R.J.
 de Gast, H.M. *see* Bucx, M.J.L.
 Gautam, P.L., Kathuria, S., Sood, D. and Kaul, T.K. Recurrent positional ventricular tachycardia in a patient with carcinoma of the oesophagus, 98
 Gemmell, L. *see* Rassam, S.
 Gemmell, L. *see* Subbe, C.P.
 Gerig, H.J. *see* Heidegger, T.
 Gewürtz, G. *see* Ezri, T.
 Gibbs, R.H. and Francis, A. Bronchospasm and difficult intubation, 195
 Gibson, S. and Numa, A. The importance of metabolic rate and the folly of body surface area calculations, 50
 Gill, R.S. *see* Gande, A.R.
 Gillbe, C. *see* Hillier, J.
 Gilsanz, F. *see* Guasch, E.
 Gin, T. *see* Chan, K.L.
 Glavin, R. *see* Edgar, J.
 Gommers, D. *see* Hoffland, J.
 Goodwin, D. *see* Smith, A.F.

- Goodwin, M.W.P., Pandit, J.J., Hames, K., Popat, M. and Yentis, S.M. The effect of neuromuscular blockade on the efficiency of mask ventilation of the lungs, 60
- Goodwin, N., Latto, I.P., Hodzovic, I., Williams, G. and Hall, J.E. The rigid nasendoscope as a tool for difficult tracheal intubation: A manikin study, 675
- Gopal, S.T., Lane, M.P. and Park, G.R. Remifentanyl for the pain of pancreatitis, 1137
- Gottschalk, L.I. *see* Pivalizza, E.G.
- Grace, R.F. The effect of variable-dose diazepam on dreaming and emergence phenomena in 400 cases of ketamine-fentanyl anaesthesia, 904
- Grant, I.S. *see* Hughes, M.
- Grant, S. *see* MacLeod, D.
- Grant, S.A., Breslin, D.S., MacLeod, D.B., Demeyts, D., Martin, G., D'Ercole, F. and Hardman, D. Variability in determination of point of needle insertion in peripheral nerve blocks: A comparison of experienced and inexperienced anaesthetists, 688
- Gray, J.S. and Evans, G.A. Scavenging malfunction, 1144
- Gray, R.A., Moores, A.H., Hehir, M. and Worsley, M. Transurethral vaporisation of the prostate and irrigating fluid absorption, 787
- Green, D.W. Gum elastic Bougie and simulated difficult intubation, 391
- Green, R.J. *see* McCormick, R.N.
- Green, S. and Soskin, M. A novel use for the ProSeal laryngeal mask, 1143
- Greenberg, M. *see* Kuczkowski, K.M.
- Greher, M. *see* Holzer, A.
- Greiff, J. *see* Russell, W.C.
- Greig, D. *see* Hariprasad, M.
- Grewal, A. *see* Sood, D.
- Grewal, S. and Yentis, S. To refuse or not to refuse, that is the question?, 715
- Griffiths, D.P.G., Mitchell Noon, J., Campbell, F.A. and Price, C.M. Clinical governance and chronic pain: towards a practical solution, 243
- Griffiths, J. *see* Mendonca, C.
- Grimes, S. *see* Earl, D.S.
- Grosvenor, L.J. *see* Reynolds, N.J.
- Groth, M. *see* Usichenko, T.I.
- Grounds, R.M. *see* Ball, J.A.S.
- Groysman, R. *see* Cohen, S.
- Gruber, M. *see* Weber, F.
- Guasch, E., Civantos, B., Aguilar, J.M., Torres, M.D. and Gilsanz, F. Progressive external ophthalmoplegia and ambulatory remifentanyl-propofol based anaesthesia, 607
- Gund, V.K., Clark, M.J. and Sellers, W.F. Oxygen delivery from a distance, 614
- Gupta, A.K. *see* Wheeler, D.W.
- Gupta, K.J. *see* Cook, T.M.
- Gupta, S. *see* Zwaal, J.W.
- Gupta, V.K. *see* Munjal, M.
- Gupta, V.S. and Ravalia, A. Inadequate ventilation with the LMA ProSeal™, 483
- Haas, M. *see* Moller, A.M.
- Hafez, J. *see* Fleischhackl, R.
- Hagberg, C. *see* Ezri, T.
- Hager, S. *see* Hosbach, I.
- Halkes, M. A response to 'Mobile phones in the hospital - past, present and future', Klein AA, Djaiani GN, *Anaesthesia* 2003; 58: 353-7., 1147
- Halkes, M.J. and Snow, D. Re-use of equipment between patients receiving total intravenous anaesthesia: a postal survey of current practice, 582
- Hall, C.E.J. and Shutt, L.E. Nasotracheal intubation for head and neck surgery, 249
- Hall, C.E.J. *see* Williamson, R.
- Hall, G.M. *see* Nicholson, G.
- Hall, J.E. *see* Evans, A.
- Hall, J.E. *see* Goodwin, N.
- Hall, J.E. *see* Henderson, K.A.
- Hall, J.E. *see* Raj, N.
- Hall, J.E. *see* Sivasankar, R.
- Hall, J.E. *see* Wilkes, A.R.
- Halligan, M. and Charters, P. A clinical evaluation of the Bonfils Intubation Fibrescope, 1087
- Hamad, M., Morgan-Hughes, N.J., Beechey, A.P. and Hawkins, J. Expiratory obstruction caused by inappropriate connection of the expiratory limb of a breathing circuit, 719
- Hames, K. *see* Goodwin, M.W.P.
- Hames, K.C., Pandit, J.J., Marfin, A.G., Popat, M.T. and Yentis, S.M. Use of the bougie in simulated difficult intubation. 1. Comparison of the single-use bougie with the fibrescope, 846
- Hames, K.C. *see* Marfin, A.G.
- Hames, K.C. To premed or not to premed, 297
- Hanousek, J. and Swart, M. *Haemophilus influenzae* type B (HiB) is back, 813
- Hans, P. *see* Levaux, Ch.
- Hardman, D. *see* Grant, S.A.
- Hardy, P.A.J. Transient hearing loss with labour epidural block, 1041
- Hare, J. *see* Yarrow, S.
- Hari, M.S. and Nirvala, K.D. Retropharyngeal abscess presenting with upper airway obstruction, 714
- Hariprasad, M. and Greig, D. Sciatic nerve block in amputees, 1139
- Harmer, M. *see* Cook, T.M.
- Harmer, M. *see* Danbury, C.M.
- Harmer, M. *see* Raj, N.
- Harmer, M. Editorial 2. Getting There-by evolution, not revolution, 4
- Harmer, M. Editorial. A moment to reflect, 1159
- Harper, N., Dunkley, C. and Hume, D. Sedation using remifentanyl, 197
- Harper, N. *see* Stewart, A.
- Harper, N.J.N. *see* Elliott, R.A.
- Harper, P.R. *see* Costa, A.X.
- Harrison, G.R. History of anaesthesia, 825
- Harte, S. *see* Mc Donnell, C.G.
- Harten, J., McCreath, B., Kinsella, J., Conway, D.H. and Mayall. Peri-operative optimisation, 183
- Harten, J.M., Anderson, K.J., Angerson, W.J., Booth, M.G. and Kinsella, J. The effect of normobaric hyperoxia on cardiac index in healthy awake volunteers, 885
- Hartwell, E.A. *see* Pivalizza, E.G.
- Haslam, N., Syndercombe, A., Zimmer, C.R., Edmondson, L. and Duggan, J.E. Intra-gastric pressure and its relevance to protective cricoid force, 1012
- Hassing, L.H. *see* Bucx, M.J.L.
- Hatch, D.J. *see* Crean, P.M.
- Hattori, H. *see* Nakajima, H.
- Haw, M.P. *see* Gande, A.R.
- Hawkins, J. *see* Hamad, M.
- Hearn, C.M., Chandradeva, K. and Ferguson, A. A hidden safety feature in the event of oxygen failure, 1240

- Heath, M.L. Donepezil and succinylcholine, 202
- Hecker, K.E. *see* Horn, N.A.
- Hehir, M. *see* Gray, R.A.
- Heidegger, T., Gerig, H.J., Ulrich, B. and Schnider, T.W. Structure and process quality illustrated by fibreoptic intubation: analysis of 1612 cases, 734
- Hellier, C., Newell, S., Barry, J. and Brimacombe, J. A 5- μ m filter does not reduce propofol-induced pain, 802
- Hempelmann, G. *see* Hirsch, J.
- Henderson, J.J. *see* Hodzovic, I.
- Henderson, J.J. Development of the 'gum-elastic bougie', 103
- Henderson, K.A., Raj, N. and Hall, J.E. The use of nitrous oxide in anaesthetic practice: a second questionnaire survey, 294
- Henderson, K.A. *see* Raj, N.
- Henderson, S.A. *see* Murnaghan, J.M.
- Hersch, P. *see* Cook, T.M.
- Hewitt, P. *see* Regan, F.
- Higgins, D. *see* King, D.
- Hilditch, W.G., Asbury, A.J. and Crawford, J.M. Pre-operative screening: Criteria for referring to anaesthetists, 117
- Hilditch, W.G., Asbury, A.J., Jack, E. and McGrane, S. Validation of a pre-anaesthetic screening questionnaire, 874
- Hill, O. and Rolfe, S. A new sign of successful paediatric caudal placement, 1141
- Hillier, J. and Gillbe, C. Anaesthesia for lung volume reduction surgery, 1210
- Hirota, K. *see* Sasaki, R.
- Hirsch, J., Bach, R., Menzebach, A., Welters, I.D., Dietrich, G.V. and Hempelmann, G. Temperature course and distribution during plasma heating with a microwave device, 444
- Hirsch, N. Advances in neuroanaesthesia, 1162
- Hisano, K. *see* Morimoto, Y.
- Hivey, S. *see* Smart, N.G.
- Ho, S.T. *see* Lu, C.C.
- Hobbhahn, J. *see* Weber, F.
- Hodzovic, I. *see* Annamneni, R.
- Hodzovic, I. *see* Goodwin, N.
- Hodzovic, I., Latto, I.P. and Henderson, J.J. Bougie trauma – what trauma?, 192
- Hodzovic, I., Wilkes, A.R. and Latto, I.P. To shape or not to shape...Simulated bougie-assisted difficult intubation in a manikin, 791
- Hodzovic, I. *see* Lim, M.M.
- Hoerauf, K. *see* Fleischhackl, R.
- Hoffand, J., Tenbrinck, R., van Eijck, C.H.J., Eggermont, A.M.M., Gommers, D. and Erdmann, W. Comparison of closed circuit and Fick-derived oxygen consumption in patients undergoing simultaneous aortocaval occlusion, 377
- Holesworth, S.P. *see* Sellers, W.F.S.
- Holland, S., Townley, S. and Summerfield, R. Citalopram – a risk factor for postoperative hyponatraemia, 491
- Hollins, T. *see* Mallick, A.
- Holme, T.C. *see* Horwitz, M.D.
- Holtmann, B. *see* Ali, S.Z.
- Holzer, A., Winter, W., Greher, M., Reddy, M., Stark, J., Donner, A., Zimpfer, M. and Illievich, U.M. A comparison of propofol and sevoflurane anaesthesia: effects on aortic blood flow velocity and middle cerebral artery blood flow velocity, 217
- Homewood, J. *see* Wimbush, S.
- Honan, D., Malkan, D. and Tierney, E. Confirming tracheal cannulation during percutaneous tracheostomy without endoscopic guidance, 1027
- van den Hoogen, F.J.A. *see* Morgan, P.
- Horn, N.A., de Rossi, L., Robitzsch, T., Hecker, K.E., Hutschenreuter, G. and Rossaint, R. The effects of sevoflurane and desflurane *in vitro* on platelet-leukocyte adhesion in whole blood, 312
- Horwitz, M.D., Jonas-Obichere, M. and Holme, T.C. Hard to swallow, 600
- Hosbach, I., Neeb, G., Hager, S., Kirchhoff, S., Kirschbaum, B., Kam, P.C.A. and Liew, S. In defence of traditional Chinese herbal medicine, 282
- Hosking, E., Morris, E.A.J. and Johnson, C.J.H. Assessing the difficult airway, 811
- Houghton, I.T. Conservation ethics and anaesthesia, 992
- Howell, P.R. *see* Stone, A.G.H.
- Howell, T.K. and Patel, D. Plasma paracetamol concentrations after different doses of rectal paracetamol in older children A comparison of 1 g vs. 40 mg.kg⁻¹, 69
- Hu, O.Y.P. *see* Lu, C.C.
- Hua, Y. *see* Morimoto, Y.
- Hudsmith, J.G. Six smiths and safety, 1240
- Hughes, M., MacKirdy, F.N., Ross, J., Norrie, J. and Grant I.S. on behalf of the Scottish Intensive Care Society. Acute respiratory distress syndrome: an audit of incidence and outcome in Scottish intensive care units, 838
- Hughes, R.C. *see* Sivasankar, R.
- Hume, D. *see* Harper, N.
- Hutchings, A. *see* Raj, N.
- Hutchinson, P.J. *see* Coles, J.P.
- Hutchinson, S.P. *see* Bourne, R.S.
- Hutchinson, N., Pandit, J.J. and Yentis, S. Research for research's sake, 1023
- Hutschenreuter, G. *see* Horn, N.A.
- Hutter, C. Cocaine and pulmonary oedema, 285
- Hwang, N.C. *see* Lye, S.T.
- Hwang, N.C. *see* Yew, W.S.
- Hynam, P. An interesting case of postoperative stridor, 1124
- Iacobucci, T., Galeone, M. and de Francisci, G. Anaesthesia management in a patient with Aicardi's Syndrome, 95
- Illievich, U.M. *see* Holzer, A.
- Inomata, S. *see* Watanabe, K.
- Iqbal, S. *see* Anwari, J.S.
- Irwin, M.G. *see* Rodrigo, M.R.C.
- Isaac, J. Confirming the position of the thoracic epidural catheter, 1139
- Ishikawa, S., Nakazawa, K. and Makita, K. Spontaneous reversal of the 'wall effect': another possible cause for inaccurate continuous intra-arterial blood gas monitoring data, 605
- Jack, E. *see* Hilditch, W.G.
- Jackson, D.M. Estimating oxygen uptake, 615
- Jackson, D.M. Measurement of oxygen consumption during low-flow anaesthesia, 290
- Jackson, R.G.M., Stamford, J.A. and Strunin, L. The canary is dead, 911
- Jackson, S. Time to switch to disposable bougies, 392
- Jain, D. *see* Khan, R.M.
- Jakobsson, J. *see* Anderson, R.E.
- Jakt, L. Pushing water down the femoral shaft, 824
- James, R.H. 1000 anaesthetic incidents: experience to date, 856
- James, S. and Broome, I.J. Anaesthesia for cardioversion, 291
- Jardine, A. *see* Lewis, S.
- Järvelä, K., Koskinen, M. and Kööbi, T. Effects of hypertonic saline (7.5%) on extracellular fluid volumes in healthy volunteers, 878

- Jefferson, P., Perkins, V., Edwards, V.A., Ball, D.R. and Thompson, C. Problems with disposable laryngoscope blades, 385
- Jefferson, P. *see* Al Shamaa, M.
- Jefferson, P. *see* Ball, D.R.
- Jefferson, P. *see* Barron, F.A.
- Jefferson, P. *see* Dagg, L.E.
- Jefferson, P. *see* Whyte, E.
- Jenkins, J.G. and Khan, M.M. Anaesthesia for Caesarean section: a survey in a UK region from 1992 to 2002, 1114
- Jenkins, K. and Baker, A.B. Consent and anaesthetic risk, 962
- Johnson, A. *see* Oldman, M.
- Johnson, C.J.H. *see* Hosking, E.
- Johnson, R.V. Major incident preparation, 807
- Johnson, T.W., Morgan, R. and Smalley, P. Radiographic guided epidural placement, 485
- Johnston, A.J. *see* Steiner, L.A.
- Jonas-Obichere, M. *see* Horwitz, M.D.
- Jones, D.P. *see* Kyriacou, P.A.
- Jones, N. *see* Apfel, C.C.
- Jones, N. *see* Thompson, A.
- Jones, P. In response to 'Consent for anaesthesia', White SM, Baldwin TJ, *Anaesthesia* 2003; 58: 760-74., 1153
- Jordan, M. A response to 'Herbal medicines - harmless or harmful?', Sehgal A, Hall JE, *Anaesthesia* 2002; 57: 947-8., 403
- Jorm, C. Editorial 1. Patient safety and quality: can anaesthetists play a greater role?, 833
- Jürgens, S. Sevoflurane conscious sedation for MRI scanning, 296
- Kam, P.C.A. and Nethery, C.M. The thienopyridine derivatives (platelet adenosine diphosphate receptor antagonists), pharmacology and clinical developments, 28
- Kam, P.C.A. *see* Brown, N.W.
- Kam, P.C.A. *see* Hosbach, I.
- Kammeyer, A. *see* Bucx, M.J.L.
- Kampe, S. *see* Paul, M.
- Kannan, S. and Manji, M. Survey of use of end-tidal carbon dioxide for confirming tracheal tube placement in intensive care units in the UK, 476
- Kapoor, V. *see* Ramachandran, K.
- Karamaz, A., Kaya, S., Turhanoglu, S. and Ozyilmaz, M.A. Low-dose bupivacaine-fentanyl spinal anaesthesia for transurethral prostatectomy, 526
- Karovits, J. *see* Wong, P.
- Karsli, C., Luginbuehl, I.A. and Bissonnette, B. The effect of nitrous oxide on cerebral blood flow velocity in children anaesthetised with desflurane, 24
- Kasper, S.M. *see* Paul, M.
- Katayama, T. *see* Nakajima, H.
- Kathuria, S. *see* Gautam, P.L.
- Kaul, T.K. *see* Gautam, P.L.
- Kaul, T.K. *see* Munjal, M.
- Kawachi, S. *see* Asai, T.
- Kaya, S. *see* Karamaz, A.
- Keller, C. and Brimacombe, J. Failed gastric tube insertion with the ProSealTM laryngeal mask airway (PLMA), 713
- Keller, C. *see* Brimacombe, J.
- Kemmotsu, O. *see* Morimoto, Y.
- Kerr, J. *see* Elliott, R.A.
- Khan, F. *see* Newton, D.J.
- Khan, K.Z., West, M. and Vickers, R.J. An evaluation of safety of storage practices of laryngeal mask airways and tracheal tubes, 1038
- Khan, M. and Dolin, S.J. Radiographic guided epidural placement, 1143
- Khan, M.M. *see* Jenkins, J.G.
- Khan, R.M. *see* Ahmed, S.M.
- Khan, R.M., Chabra, J., Alam, M.T., Ashraf, M. and Jain, D. Whoosh test 2 and confirmation of lumbar epidural space, 1251
- Khan, R.M. *see* Khan, S.A.
- Khan, S.A., Khan, R.M. and Siddiqui, M.M.H. A better method of Laryngeal Tube insertion, 614
- Khan, S.A., Siddiqui, M.M.H. and Khan, R.M. Diffusion of nitrous oxide into the cuff of the laryngeal tube, 291
- Khan, S.A., Siddiqui, M.M.H. and Khan, R.M. Laryngoceles and the laryngeal tube, 391
- Khater, M. *see* Lake, A.P.J.
- Kim, C.S. *see* Kim, K.O.
- Kim, K.O., Um, W.S. and Kim, C.S. Comparative evaluation of methods for ensuring the correct position of the tracheal tube in children undergoing open heart surgery, 889
- King, D. and Higgins, D. Subarachnoid haemorrhage following activated protein C for bacterial meningitis, 913
- King, H., Corry, P., Wauchob, T. and Barclay, P. Probable dystonic reaction after a single dose of cyclizine in a patient with a history of encephalitis, 257
- Kinsella, J. *see* Harten, J.
- Kinsella, J. *see* Harten, J.M.
- Kinsella, S.M. *see* Earl, D.S.
- Kinsella, S.M. Editorial 2. Lateral tilt for pregnant women: why 15 degrees?, 835
- Kirchhoff, S. *see* Hosbach, I.
- Kirk, P. *see* Lok, C.
- Kirk, P. *see* Rajasekaran, A.K.
- Kirk-Bayley, J. *see* Afzaal, A.
- Kirschbaum, B. *see* Hosbach, I.
- Kitching, A. *see* Dering, A.
- Kiyama, S., Muthuswamy, D., Latto, I.P. and Asai, T. Prevalence of a training module for difficult airway management: a comparison between Japan and the United Kingdom, 571
- Klein, A.A. and Djaiani, G.N. Mobile phones in the hospital - past, present and future, 353
- Kleinsasser, A. and Claxton, B. Alveolar recruitment strategy improves arterial oxygenation after cardiopulmonary bypass, 809
- Klockenbusch, B. *see* Magi, E.
- Klockenbusch, B. *see* Spencer, G.T.
- Kluger, M.T., Townend, K. and Laidlaw, T. Job satisfaction, stress and burnout in Australian specialist anaesthetists, 339
- Knight, R. A response to 'A study of the initial fluid resuscitation and pain management of patients with fractured neck of femur', Levy N, *Anaesthesia* 2002; 57: 1148., 403
- Knowles, M. New GMC guidelines, 385
- Kober, A. *see* Fleischhackl, R.
- Koivuranta, M. *see* Apfel, C.C.
- Kööbi, T. *see* Järvelä, K.
- Kopka, A. Scary white stuff, 102
- Koskinen, M. *see* Järvelä, K.
- Kota, R.K. Use of mini Doppler for arterial cannulation, 1142
- Krishna, G.M. A response to 'Not so free flowing', Kitsbery A. Agarwal S, *Anaesthesia* 2002; 57: 1103-4., 404
- Krishna, G.M. Vegetarian anaesthesia, 501
- Krishnam and Mallick, A. Air in the epidural space leading to a neurological deficit, 292
- Kuczkowski, K.M. and Benumof, J.L. Postoperative cough-induced recurrence of spinal anaesthesia in the parturient, 101
- Kuczkowski, K.M. and Fernandez, C.L. Thermal injury in pregnancy: anaesthetic considerations, 931

- Kuczkowski, K.M., Fouhy, S.A., Greenberg, M. and Benumof, J.L. Trauma in pregnancy: anaesthetic management of the pregnant trauma victim with unstable cervical spine, 822
- Kuczkowski, K.M. Acute hypoglycaemia in a healthy parturient following induction of a combined spinal-epidural analgesia for labour, 488
- Kuczkowski, K.M. Bretylium in the treatment of complex regional pain syndrome: uncommon side-effect of a common drug, 201
- Kuczkowski, K.M. Caesarean section in a cocaine-intoxicated parturient: regional vs. general anaesthesia?, 1042
- Kuczkowski, K.M. Diagnostic tattoo in a parturient with 'ecstasy' use, 1251
- Kuczkowski, K.M. Labour-induced sickle cell crisis in a previously asymptomatic parturient with sickle cell disease, 1044
- Kuczkowski, K.M. Peripartum anaesthetic management of a parturient with spinal cord injury and autonomic hyperreflexia, 823
- Kuczkowski, K.M. Scabies: a differential diagnosis of pruritus following subarachnoid opioid administration, 1140
- Kuczkowski, K.M. Solvents in pregnancy: an emerging problem in obstetrics and obstetric anaesthesia, 1036
- Kuczkowski, K.M. The eye of a pregnant woman and obstetric anaesthesia, 1142
- Kuehn, B., Saxena, H.N. and Menon, G. Anaesthetised for evacuation of retained products of conception; delivered a baby instead, 725
- Kuehn, B. *see* Ranganathan, M.
- Kurz, A. *see* Ali, S.Z.
- Kwan, S.Y. *see* Man, A.K.Y.
- Kyriacou, P.A., Powell, S.L., Jones, D.P. and Langford, R.M. Evaluation of oesophageal pulse oximetry in patients undergoing cardiothoracic surgery, 422
- Laban, M.M. *see* Ali, L.
- Lack, J.A. A response to 'Mobile phones in the hospital - past, present and future', Klein A A and Djaiani G N, *Anaesthesia* 2003; 58: 353-7., 829
- Laidlaw, T. *see* Kluger, M.T.
- Lake, A.P.J., Khater, M. and Elliott, R. Clinical and economic choices in anaesthesia for day surgery, 1031
- Lakshmanan, S. *see* Saha, B.
- Lam, S. and Slater, R.M. Total intravenous anaesthesia for oculoplastic surgery in a patient with myasthenia gravis without high-dependency care, 720
- Lamb, F.J. and Ali, S. Fire and frost!, 493
- Lane, M.P. *see* Gopal, S.T.
- Langford, R.M. *see* Kyriacou, P.A.
- Langton, J.A. Academic anaesthesia, 1235
- Larsen, P.D. *see* Ryan, A.D.
- Latto, I.P. *see* Annamaneni, R.
- Latto, I.P. *see* Goodwin, N.
- Latto, I.P. *see* Hodzovic, I.
- Latto, I.P. *see* Kiyama, S.
- Latto, I.P. *see* Lim, M.M.
- Laurence, A.S. Gum elastic bougies, 614
- Laurence, A.S. Magnetic resonance compatible equipment: apply common sense, 615
- Laurenson, J. Sleep disruption and performance, 1026
- Lavies, N.G. *see* Amoako, D.
- Lavies, N.G. *see* El-Sayeh, S.
- Lawler, P.G. *see* Robson, V.
- Lawrence, G. *see* Elliott, R.A.
- Leary, T. and Ridley, S. Impact of an Outreach team on re-admissions to a critical care unit, 328
- Leary, T. *see* Watts, J.C.
- Lee, A. *see* Ngan Kee, W.D.
- Lee, E. and Birks, R. Syringe labelling, 911
- Lee, J. Meeting the challenge of clinical governance in pain management, 205
- Lehot, J.-J. Consultation before anaesthesia, 1121
- Lenoir, R. Exclamation! A response to 'Novel Airway Devices: Spoilt for Choice?', Cook TM, *Anaesthesia* 2003; 58: 107-10., 620
- Leong, L.M.C. and Ali, A. Carbon dioxide pneumothorax during laparoscopic fundoplication, 97
- Leslie, K. *see* Myles, P.S.
- Lesser, P.J.A. Remifentanyl infusion calculation made simple, 1035
- Levaux, Ch., Bonhomme, V., Dewandre, P.Y., Brichant, J.F. and Hans, P. Effect of intra-operative magnesium sulphate on pain relief and patient comfort after major lumbar orthopaedic surgery, 131
- Levison, A. Patient safety, 1236
- Lewis, A. *see* Morton, G.
- Lewis, I.H. and Souter, M.J. Evaluation of an expired fraction carbon dioxide monitor - incorrect statistical analysis?, 598
- Lewis, N.L., Laat, F. and Qureshi, A.M. Syntocinon and 'epidurals' in labour - which comes first?, 1249
- Lewis, S. and Jardine, A. An unusual case of postextubation stridor, 601
- Lewis, S. and Magee, P. Contraindications to cricoid pressure, 1243
- Liddle, A.M. *see* Sherwin, J.
- Liem, E. *see* Akça, O.
- Liew, S. *see* Hosbach, I.
- Light, D. *see* Miller, D.M.
- Lim, C.B. *see* Paech, M.J.
- Lim, M. *see* Taylor, C.
- Lim, M.M., Pead, M. Hodzovic, I. Annamaneni, R., Wilkes, A.R. and Latto, I.P. A comparison of simulated difficult intubation with multiple-use and single-use bougies, 1145
- Lim, Y. *see* Brimacombe, J.
- Lim, Y.S. *see* Ward, M.M.
- Lin, C.Y. *see* Lu, C.C.
- Ling, A. *see* Lok, C.
- Little, C. *see* Rassam, S.
- Lok, C. and Kirk, P. Problems performing a sciatic nerve block in an amputee, 289
- Lok, C., Kirk, A. and Ling, P. Complication of the combined spinal epidural technique 2, 486
- Lu, C.C., Tsai, C.S., Ho, S.T., Chen, W.Y., Wong, C.S., Wang, J.J., Hu, O.Y.P. and Lin, C.Y. Pharmacokinetics of sevoflurane uptake into the brain and body, 951
- Luehr, S.L. *see* Pivalizza, E.G.
- Luginbuehl, I.A. *see* Karli, C.
- Lumb, A.B. *see* Malarkkan, N.
- Lye, S.T. and Hwang, N.C. Glass particle contamination: is it here to stay?, 93
- Lynch, G.M. Herbal medicines in the United Kingdom, 1025
- Lynch, J., Appelboam, R. and McQuillan, P.J. Survey of abuse and violence by patients and relatives towards intensive care staff, 893
- Lynn, J. *see* Ali, L.
- Mc Donnell, C.G., Harte, S., O'Driscoll, J., O'Loughlin, C., Van Pelt, F.D. and Shorten, G.D. The effects of concurrent atorvastatin therapy on the pharmacokinetics of intravenous midazolam, 899

- Macartney, I. *see* Waite, A.
- Macartney, N.J.D. A response to 'Rapidly repeated intravenous boluses of salbutamol for acute severe asthma' Sellers WFS, Messahel B, *Anaesthesia* 2003; 58: 680–3., 1151
- MacLeod, D., Grant, S., Breslin, D. and Martin, G. Lower limb blocks following general anaesthesia, 612
- MacLeod, D.B. *see* Grant, S.A.
- McBrien, M.E. *see* Farling, P.
- McBrien, *see* Train, J.J.A.
- McCartney, C.J.L. A response to 'Convulsions following axillary brachial plexus blockade with levobupivacaine', Pirota D, Sprigge J, *Anaesthesia* 2002; 57: 1187–9., 404
- McCormick, A. *see* Bromilow, J.
- McCormick, B. *see* Cook, T.M.
- McCormick, R.N., Stutley, J.E. and Green, R.J. An unusual cause of postpartum collapse or a red herring?, 398
- McCoy, E. *see* Morris, C.G.T.
- McCrae, A.F. *see* Burns, R.
- McCreath, B. *see* Harten, J.
- McD., Johnson, A. In response to 'Editorial 1 – Use of intravenous salbutamol in acute severe asthma', Browne GJ, Wilkins BH, *Anaesthesia* 2003; 58: 729–32. A., 1152
- Macdonald, R. Consent for anaesthesia, 1235
- McGeorge, P. *see* Flin, R.
- McGrane, S. *see* Hilditch, W.G.
- McGurgan, P. *see* Cheema, S.
- McHugh, G.A. *see* Elliott, R.A.
- McHugh, P. Difficult airway Society web address, 401
- McKenzie, A.G. Early books and pamphlets on anaesthesia, 499
- McKenzie, A.G. Herbal medicines in the United Kingdom, 597
- McKenzie, A.G. James Matthews Duncan, 498
- Mackenzie, S. *see* Booth, M.G.
- MacKirdy, F.N. *see* Hughes, M.
- McLeod, A.D.M. *see* Down, J.F.
- McLeod, G.A. *see* Newton, D.J.
- McLure, H.A. *see* Agrawal, A.
- McLure, H.A., Trenfield, S., Quereshi, A. and Williams, J. Post-splenectomy thrombocytopenia: implications for regional analgesia, 1106
- McMorrow, R.C.N. and Mirakhor, R.K. A new mirrored laryngoscope, 998
- McQuillan, P.J. *see* Lynch, J.
- Mc C. Schofield, N. *see* Wikinson, D.A.C.
- Magge, P. *see* Lewis, S.
- Magi, E., Recine, C., Klockenbusch, B. and Cascianini, E.A. A postoperative respiratory arrest in a post poliomyelitis patient, 98
- Magi, E. *see* Spencer, G.T.
- Mahajan, R.P. *see* Bowie, R.A.
- Makita, K. *see* Ishikawa, S.
- Malarkkan, N., Snook, N.J. and Lumb, A.B. New aspects of ventilation in acute lung injury, 647
- Maleck, W.H. *see* Roehm, K.D.
- Malik, M.S. and Chappell, B. Acute respiratory syndrome associated with extreme Superpruf aerosol, 1037
- Malkan, D. *see* Honan, D.
- Mallett, S.V. *see* Self, R.E.
- Mallick, A. Air in the epidural space leading to a neurological deficit, 292
- Mallick, A. *see* Krishnam
- Mallick, A., Venkatanath, D., Elliot, S.C., Hollins, T. and Nanda Kumar, C.G. A prospective randomised controlled trial of capnography vs. bronchoscopy for Blue RhinoTM percutaneous tracheostomy, 864
- Mallick, A., *see* Benham, S.W.
- Man, A.K.Y., Yap, J.C.M., Kwan, S.Y., Suen, K.L., Yip, H.S. and Chen, P.P. The effect of intra-operative video on patient anxiety, 64
- Manji, M. *see* Kannan, S.
- Marco, A.P. *see* Papadimos, T.J.
- Marfin, A.G., Pandit, J.J., Hames, K.C., Popat, M.T. and Yentis, S.M. Use of the bougie in simulated difficult intubation. 2. Comparison of single-use bougie with multiple-use bougie, 852
- Marfin, A.G. *see* Hames, K.C.
- Maroof, M. *see* Ahmed, S.M.
- Marsh, M. *see* Taylor, B.
- Marshall, R.L. Re-use of equipment between patients receiving total intravenous anaesthesia, 1040
- Martin, F. Mortgage advice – helping you to choose your anaesthetic, 1120
- Martin, G. *see* Grant, S.A.
- Martin, G. *see* MacLeod, D.
- Martin, J. *see* Coles, J.P.
- Martindale, S.J. and Stedeford, J.C. Neurological sequelae following methylene blue injection for parathyroidectomy, 1041
- Mastan, M. and Sanehi, O. Ipsilateral arm swelling – a rare complication of jugular venous catheterisation, 202
- Matthews, A.J. and Rawlings, E. A simple leak detection device for TIVA, 288
- May, A. Obstetric anaesthesia and analgesia, 1186
- Mayall, *see* Harten, J.
- McKeague, H. *see* Claxton, B.A.
- Meakin, G.H. Time constant or half time of a breathing system?, 386
- Mearns, C. and Elliott, J. Midwives putting the pressure on...?, 297
- Mearns, C.A. A response to 'Learning to apply effective cricoid pressure using a part task trainer', Owen H *et al.*, *Anaesthesia* 2002; 57: 1098–101., 405
- Mecklenburgh, J. *see* Evans, A.
- Medalion, B. *see* Ezri, T.
- Meek, T. A response to 'Consent issues in obstetric anaesthesia', Roberts J, *Anaesthesia* 2002; 57: 1232–3., 405
- Melillo, E. A response to 'Remifentanyl infusion rate calculation', Chelliah S, *Anaesthesia* 2003; 58: 104., 619
- Mellor, A., Clark, J., Morgan-Hughes, N.J. and Bradley, P.C. Transoesophageal echocardiography during surgery for intra-atrial masses, 283
- Mendonca, C., Griffiths, J., Ateleanu, B. and Collis, R.E. Hypotension following combined spinal-epidural anaesthesia for Caesarean section. Left lateral position vs. tilted supine position, 428
- Mendonca, C. *see* Adke, M.
- Menon, D.K. on behalf of the East Anglian Peri-operative Medicine Undergraduate Teaching Forum, *see* Wheeler, D.W.
- Menon, D.K. *see* Coles, J.P.
- Menon, D.K. *see* Steiner, L.A.
- Menon, G. *see* Kuehn, B.
- Menon, G. *see* Ranganathan, M.
- Menzebach, A. *see* Hirsch, J.
- Messahel, B. *see* Sellers, W.F.S.
- Meulemans, A. *see* Bux, M.J.L.
- Miller, D.M. and Light, D. Laboratory and clinical comparisons of the Streamlined Liner of the Pharynx Airway (SLIPATM) with the laryngeal mask airway, 136
- Mills, P.M. and Penfold, N. Cannabis abuse and anaesthesia, 1125
- Milner, Q.J.W. *see* Williams, M.
- Mirakhor, R.K. *see* Breslin, D.S.
- Mirakhor, R.K. *see* McMorrow, R.C.N.

- Mitchell Noon, J. *see* Griffiths, D.P.G.
- Mitra, S. *see* Thomas, A.
- Mitton, M. Oxygen failure alarms, 389
- Miyabe, M. *see* Watanabe, K.
- Mizutani, K. Herbal medicine and anaesthesia, 385
- Moller, A.M., Pedersen, T., Villebro, N., Schnaberich, A., Haas, M. and Tonnesen, R. A study of the impact of long-term tobacco smoking on postoperative intensive care admission, 55
- Monaca, E. *see* Doehn, M.
- Montecchia, F. *see* Agrò, F.
- Montero, S.H. *see* Altemir, F.H.
- Montgomery, J.E. *see* Stocker, M.E.
- Moore, E.W. *see* Elliott, R.A.
- Moore, J.K. *see* Elliott, R.A.
- Moores, A. and Pace, N.A. The information requested by patients prior to giving consent to anaesthesia, 703
- Moore, A.H. *see* Gray, R.A.
- Morgan, P., Roberts, R.G., Fikkers, B.G., Verwiël, J.M.M. and van den Hoogen, F.J.A. Minor or major?, 286
- Morgan, P. *see* Claxton, B.A.
- Morgan, R. *see* Johnson, T.W.
- Morgan-Hughes, N.J. *see* Brown, J.L.
- Morgan-Hughes, N.J. *see* Hamad, M.
- Morgan-Hughes, N.J. *see* Mellor, A.
- Morimoto, Y., Niida, Y., Hisano, K., Hua, Y., Kemmotsu, O., Murashita, T. and Yasuda, K. Changes in cerebral oxygenation in children undergoing surgical repair of ventricular septal defects, 77
- Moriyama, S. *see* Asai, T.
- Morris, C. A response to 'Anaesthetised for evacuation of retained products of conception; delivered a baby instead', Kuehn B, Saxenta HN, Menon G. *Anaesthesia* 2003; 58: 725–6, 1147
- Morris, C.G.T. and McCoy, E. Editorial 1. Cervical immobilisation collars in ICU: friend or foe?, 1051
- Morris, S. and Pandit, J.J. Underpowered and overbiased? Potentially unfair to the single-use bougie, 1236
- Morris, E. *see* Sivanandan, I.
- Morris, E.A.J. *see* Hosking, E.
- Mort, M. *see* Smith, A.F.
- Mortier, E.P. *see* Vereecke, H.E.M.
- Morton, G. and Bowes, J. Why so slow?, 298
- Morton, G. and Lewis, A. Chancre very much!, 402
- Mowbray, P. *see* Bythell, V.E.
- Mukherjee, K., Seavell, C., Rawlings, E. and Weiss, A. A comparison of total intravenous with balanced anaesthesia for middle ear surgery: effects on postoperative nausea and vomiting, pain and conditions of surgery, 176
- Mulpur, A. *see* Claxton, B.A.
- Munjal, M., Sood, D., Gupta, V.K., Singh, A. and Kaul, T.K. Use of vegetarian propofol in Jain community of India, 1137
- Murakawa, M. *see* Nakajima, H.
- Murao, K. *see* Asai, T.
- Murashita, T. *see* Morimoto, Y.
- Murnaghan, J.M., Henderson, S.A. and Allen, R.W. Burning issue: a danger of epidurals, 613
- Murray, D. and Dodds, C. The effect of sleep disruption on performance of anaesthetists – A pilot study, 520
- Murray, D. Another central line complication: failure of inotrope delivery due to equipment incompatibility, 715
- Muthuswamy, D. *see* Kiyama, S.
- Myburgh, A. An unusual cause of diabetic ketoacidosis, 1138
- Myles, P.S., Symons, J.A. and Leslie, K. Anaesthetists' attitudes towards awareness and depth-of-anaesthesia monitoring, 11
- Naja, M.Z., Ziade, M.F. and El Rajab, M. Sacrococcygeal local anaesthesia versus general anaesthesia for pilonidal sinus surgery: a prospective randomised trial, 1007
- Nakajima, H., Hattori, H., Aoki, K., Katayama, T., Saitoh, Y. and Murakawa, M. Effect of milrinone on vecuronium-induced neuromuscular block, 643
- Nakazawa, K. *see* Ishikawa, S.
- Nalwaya, P. and Dravid, R. 'Continuous saline flow technique' prevents air entrainment during intrapleural block, 92
- Name and address supplied. Fibre optic equipment and prion disease, 482
- Nanda Kumar, C.G. *see* Mallick, A.
- Neale, L.J. *see* Cara, D.M.
- Neeb, G. *see* Hosbach, I.
- Nethery, C.M. *see* Kam, P.C.A.
- Newell, S. *see* Hellier, C.
- Newton, D.J., Sur, E.L., Khan, F., McLeod, G.A. and Belch, J.J.F. Mechanisms contributing to the vaso-active effects of prilocaline in human skin, 6
- Newton, M. *see* Dick, J.
- Newton, N.I. *see* Tamhane, P.
- Ng, H.-P. and Plaat, F. Uncommon cause of itchy back in pregnancy, 399
- Ngan Kee, W.D. and Lee, A. Multivariate analysis of factors associated with umbilical arterial pH and standard base excess after Caesarean section under spinal anaesthesia, 125
- Nicholson, G. and Hall, G.M. Allergic reaction to hyaluronidase after a peribulbar injection, 814
- Nicholson, J.P., Rayman, G., Donaldson, P. and Driver, I.K. The anaesthetic management of a patient with a reninoma, 466
- Nicholson, M. *see* Ramachandran, K.
- Nielsen, M.S. *see* Costa, A.X.
- Niida, Y. *see* Morimoto, Y.
- Nilsson, U., Rawal, N. and Unosson, M. A comparison of intra-operative or postoperative exposure to music – a controlled trial of the effects on postoperative pain, 699
- Nirvala, K.D. *see* Hari, M.S.
- Nishita, Y. *see* Asai, T.
- Nixon, M. *see* Sewell, A.
- Nolan, J.P. *see* Cook, T.M.
- Nordmann, G.R. and Woolley, T. Unusual critical incident: chemical gas alert, 926
- Norrie, J. *see* Barron, F.A.
- Norrie, J. *see* Hughes, M.
- Norris, A.M. *see* Cara, D.M.
- Norris, J.C. Prolonged succinylcholine apnoea resulting from acquired deficiency of plasma cholinesterase, 1137
- Nott, M.R. and West, P.D.B. Orthopaedic theatre noise: a potential hazard to patients, 784
- Nott, M.R. Interrupted monitoring, 807
- Nourredine, K.E.A. *see* Alfonsi, P.
- Numa, A. *see* Gibson, S.
- O'Brien, C.M., Titley, G. and Whitehurst, P. A comparison of cyclizine, odansetron and placebo as prophylaxis against postoperative nausea and vomiting in children, 707
- O'Connor, D., Dobson, A. and Smith, S. Inducing anaesthesia in the operating theatre: staff and patient opinions, 912
- O'Connor, P.J. *see* Bowie, R.A.
- O'Driscoll, J. *see* Mc Donnell, C.G.
- O'Loughlin, C. *see* Mc Donnell, C.G.
- O'Regan, A.M. *see* Wong, A.Y.C.
- O'Regan, M. Delivery times for caesarean section at Queen Elizabeth Central Hospital, Blantyre, Malawi: is a 30-minute 'informed to start of operative delivery time' achievable?, 756

- Ohata, H. *see* Terazawa, E.
- Olday, J., Currie, E. and Drummond, G.B. The incidence of flushing on induction of anaesthesia in patients who blush easily, 275
- Oldman, M., Youngs, P. and Johnson, A. A response to 'A comparison of cyclizine, ondansetron and placebo as prophylaxis against postoperative nausea and vomiting in children' O'Brien CM, Titley G, Whitehurst P, *Anaesthesia* 2003; 58: 707–11., 1151
- Onslow, J. Blood bath, 203
- van Oort, A.M. *see* Driessen, J.J.
- Oosthuysen, S., Amemiya, N. and Pangam, S. Problems performing a sciatic nerve block in an amputee, 724
- Orne, R.M.L.E. and Balacumaraswami, L. Benefits of off-pump coronary artery surgery?, 481
- Oshiro, M. *see* Tokumine, J.
- Osmer, C. *see* Fludder, V.
- Owa, T. *see* Tokumine, J.
- Ozyilmaz, M.A. *see* Karammaz, A.
- Pace, N.A. *see* Moores, A.
- Paech, M.J., Lim, C.B., Banks, S.L., Rucklidge, M.W.M. and Doherty, D.A. A new formulation of nasal fentanyl spray for postoperative analgesia: a pilot study, 740
- Palmer, J. Patients ideas of surgical risk, 1239
- Pandit, J.J. *see* Goodwin, M.W.P.
- Pandit, J.J. *see* Hames, K.C.
- Pandit, J.J. *see* Marfin, A.G.
- Pandit, J.J. *see* Rai, M.R.
- Pandit, J.J. The role of evidence-based methods in scientific study, 184
- Pandit, J.J. *see* Hutchinson, N.
- Pandit, J.J. *see* Morris, S.
- Pangam, S. *see* Oosthuysen, S.
- Papadimos, T.J. and Marco, A.P. Cornelia de Lange syndrome, hyperthermia and a difficult airway, 924
- Park, G.R. *see* Balasubramaniam, B.
- Park, G.R. *see* Booth, S.A.
- Park, G.R. *see* Gopal, S.T.
- Park, G.R. *see* Watson, A.R.
- Parker, J.L. *see* Russell, W.C.
- Parry, G. Sudden deaths during hip hemi-arthroplasty, 922
- Parry-Jones, A.J.D. A response to 'Transoesophageal echocardiography during surgery for intra-atrial masses', Mellor *et al.*, *Anaesthesia* 2003; 58: 283–5., 621
- Parsons, A.P.R. *see* Brown, N.W.
- Patel, A. *see* Bishop, P.
- Patel, D. *see* Howell, T.K.
- Patey, R. *see* Flin, R.
- Pattison, M. *see* Combeer, A.
- Paul, M., Dueck, M., Kampe, S., Fruendt, H. and Kasper, S.M. Pharmacological characteristics and side effects of a new galenic formulation of propofol without soyabean oil, 1056
- Pavlovic, D. *see* Usichenko, T.I.
- Payne, K. *see* Elliott, R.A.
- Pead, M. *see* Lim, M.M.
- Pedersen, T. *see* Moller, A.M.
- Pemberton, P.L. and Dinsmore, J. The use of hypothermia as a method of neuroprotection during neurosurgical procedures and after traumatic brain injury: A survey of clinical practice in Great Britain and Ireland, 370
- Peña, M.M. *see* Altemir, F.H.
- Penfold, N. *see* Mills, P.M.
- Pennefather, S.H. *see* Corry, P.
- Perkins, V. *see* Jefferson, P.
- Perris, T.M. and Watt, J.M. The road to success: A review of 1000 axillary brachial plexus blocks, 1220
- Phypers, B. and Thomas, R. Locking the K away, 816
- Phypers, B. Double labelling syringes, 1125
- Picton, P. and Brownlow, H. A vaginal ultrasound probe is better than nothing, 200
- Piper, S.N. *see* Roehman, K.D.
- Pirota, D. *see* Dhileepan, S.
- Pittard, A.J. Out of our reach? Assessing the impact of introducing a critical care outreach service, 882
- Pivalizza, E.G., Warters, R.D., Gottschalk, L.I., Luehr, S.L. and Hartwell, E.A. Clopidogrel and platelet transfusion in patients undergoing coronary artery bypass graft surgery, 603
- Plaat, F. *see* Lewis, N.L.
- Plaat, F. *see* Ng, H.-P.
- Plaat, F. *see* Qureshi, A.M.
- Plenderleith, L. *see* Wright, J.C.
- Pollard, B.J. *see* Elliott, R.A.
- Popat, M. *see* Dombrowski, A.
- Popat, M. *see* Farling, P.
- Popat, M. *see* Goodwin, M.W.P.
- Popat, M. The airway, 1166
- Popat, M.T. *see* Hames, K.C.
- Popat, M.T. *see* Marfin, A.G.
- Pope, C. *see* Smith, A.F.
- Powell, J. Nasotracheal intubation, 599
- Powell, S.L. *see* Kyriacou, P.A.
- Poynter, J. *see* Robson, V.
- Prabhu, A. and Pradhan, P. A response to 'Editorial – Patient information, risk and choice', Smith AF, *Anaesthesia* 2003; 58: 409–11., 1148
- Prabhu, A., Pradhan, P., Sanaka, R. and Bilolikar, A. Bougie trauma – it is still possible, 811
- Prabhu, A. *see* Pradhan, P.
- Pradhan, P. and Prabhu, A. A response to 'Editorial 2 – Syringe labelling – an international standard' Birks RJS, Simpson PJ, *Anaesthesia* 2003; 58: 518–19., 1150
- Pradhan, P. *see* Prabhu, A.
- Pratt, O. and Dearlove, O. Tension gastrothorax, 91
- Price, C.M. *see* Griffiths, D.P.G.
- Price, E.W. A response to 'A simple way to reduce heat loss from the head', Parry NS, Nightingale A, *Anaesthesia* 2002; 57: 1043., 403
- Price, M.A. Anaesthetists and care of the critically ill child 2, 804
- Price, R.J., Russell, D. and Garrioch, M.A. Let there be light, 292
- Price, S.R. Sleep deprivation and performance, 1238
- Pulsford, A.H. *see* Ward, M.M.
- Puttick, N. A response to 'Syringe labeling in critical care areas', Souter A, *Anaesthesia* 2003; 58: 713., 1149
- Quadri, S. and Saunders, P. Consent in patients with language difficulties, 1121
- Qureshi, A. *see* McLure, H.A.
- Qureshi, A.M., Stevens, M. and Plaat, F. Survey of anaesthetic support staff in obstetric units in England and Wales, 578
- Qureshi, A.M. *see* Lewis, N.L.
- Raghuraman, G. *see* Ranganathan, M.
- Rahman, M. *see* Viby-Mogensen, J.
- Rai, M.R. and Pandit, J.J. Day of surgery cancellations after nurse-led pre-assessment in an elective surgical centre: the first 2 years, 692

- Raj, N., Henderson, K.A., Hall, J.E., Aguilera, I.M., Harmer, M., Hutchings, A. and Williams, B. Evaluation of personal, environmental and biological exposure of paediatric anaesthetists to nitrous oxide and sevoflurane, 630
- Raj, N. *see* Henderson, K.A.
- Raj, N. *see* Wilkes, A.R.
- Rajasekaran, A.K., Kirk, P. and Varshney, S. Transient hearing loss with labour epidural block, 613
- Ramachandran, K. and Bhishma, R. Unexpected difficult airway, 392
- Ramachandran, K., Srirangadarshan and Kapoor, V. Treating ECG changes during Caesarean section: is it worth the headache?, 293
- Ramachandran, K., Chadwick, S., Robson, G. and Nicholson, M. A 'Foreign' body in the circuit filter, 186
- Randall, K. *see* Bolton, T.J.
- Ranganathan, M., Raghuraman, G., Saxena H.N., Kuehn, B. and Menon, G. Ethical considerations in obtaining consent under anaesthesia, 1250
- Rassam, S., Littler, C. and Gemmell, L. Combined carotid endarterectomy and oesophagectomy, 604
- Ravalia, A. *see* Gupta, V.S.
- Ravalia, A. *see* Seller, C.A.
- Rawal, N. *see* Nilsson, U.
- Rawlings, E. *see* Matthews, A.J.
- Rawlings, E. *see* Mukherjee, K.
- Rayman, G. *see* Nicholson, J.P.
- Reade, M.C. and Young, J.D. Editorial 1. Consent for observational studies in critical care: time to open Pandora's Box, 1
- Recine, C. *see* Magi, E.
- Recine, C. *see* Spencer, G.T.
- Reddy, M. *see* Holzer, A.
- Reddy, M.B. Teeth jewellery, 401
- Regan, F. and Hewitt, P. Wrong blood in theatre, 89
- Reynolds, F. *see* Spencer, G.T.
- Reynolds, F. In response to 'Local anaesthetic antibacterial activity', Eldor J, *Anaesthesia* 2003; 58: 926-8., 1154
- Reynolds, N.J. and Grosvenor, L.J. Problems with the rapid powered injection of radiology contrast through multilumen catheters, 923
- Rice, I. *see* Williams, M.T.
- Richardson, J. *see* Cheema, S.
- Ridley, S. *see* Leary, T.
- Ridley, S. *see* Watts, J.C.
- Ridley, S. Cardiac scoring systems - what is their value?, 985
- Ridley, S. Critical care, 1178
- Ridley, S.A. *see* Costa, A.X.
- Ridley, S.A. *see* Wright, J.C.
- Riedel, B. *see* Shaw, A.
- Rittoo, D.B. *see* Saha, B.
- Rizvi, K.A. *see* Ahmed, S.M.
- Roberts, R.G. *see* Morgan, P.
- Roberts, W.O. Was Che an anaesthetist?, 1045
- Robinson, B. *see* Weller, J.
- Robinson, K.N. *see* Yarrow, S.
- Robitzsch, T. *see* Horn, N.A.
- Robson, G. *see* Ramachandran, K.
- Robson, V., Poynter, J., Lawler, P.G. and Boudouin, S.V. The need for a regional weaning centre, a one-year survey of intensive care weaning delay in the Northern Region of England, 161
- Rocco, G. *see* Brown, J.L.
- Rodrigo, M.R.C., Irwin, M.G., Tong, C.K.A. and Yan, S.Y. A randomised crossover comparison of patient-controlled sedation and patient-maintained sedation using propofol, 333
- Roehm, K.D., Piper, S.N., Maleck, W.H. and Boldt, J. Prevention of propofol-induced injection pain by remifentanyl: a placebo-controlled comparison with lidocaine, 165
- Rolfé, S. *see* Hill, O.
- Rolfé, S.E. *see* Dolling, S.
- Rollin, A.-M. Anaesthetists and care of the critically ill child 1, 804
- Roscoe, A. and Ahmed, A.B. A survey of peri-operative use of magnesium sulphate in adult cardiac surgery in the UK, 363
- Ross, J. *see* Hughes, M.
- Rossaint, R. *see* Horn, N.A.
- Rossi, C. *see* Bertolini, G.
- de Rossi, L. *see* Horn, N.A.
- Rowbotham, D.J. *see* Sherwin, J.
- Rowbotham, D.J. Pain management, 1196
- Rucklidge, M.W.M. *see* Paech, M.J.
- Rudd, P. *see* Cook, T.M.
- Rupinder Singh, M. *see* Sood, D.
- Russell, D. *see* Price, R.J.
- Russell, G.N. *see* Corry, P.
- Russell, I.F. Labour ward clocks, 930
- Russell, W.C. and Greiff, J. Fatal cardiac perforation by central venous catheter dilators: does the length matter?, 1241
- Russell, W.C. and Parker, J.L. Thirteen centimetre central venous catheters, lucky for all?, 388
- Russell, W.C. *see* Davies, A.G.
- Russell, W.J. In response to 'Syringe labelling in critical care areas', Souter A, *Anaesthesia* 2003; 58: 713., 1149
- Rutherford, P. *see* Subbe, C.P.
- Ryan, A.D., Larsen, P.D. and Galletly, D.C. Comparison of heart rate variability in supine, and left and right lateral positions, 432
- Sadler, P.J. *see* Sherwin, J.
- Saha, B., Lakshmanan, S. and Rittoo, D.B. Vegetarians and surgery, 934
- Saini, S. *see* Sood, D.
- Saito, S. *see* Watanabe, K.
- Saitoh, Y. *see* Nakajima, H.
- Salihoglu, Z. *see* Dikmen, Y.
- Salvador, R. *see* Steiner, L.A.
- Sanaka, R. *see* Prabhu, A.
- Sánchez, M.J. *see* Cantó, M.
- Sanhi, O. and Carter, J.A. Breathing system malfunction and the 'extra circuit', 1131
- Sanhi, O. *see* Mastan, M.
- Sanjay, P.S. *see* Corry, P.
- Sarkar, P. Mind your language. A response to 'Can we be more polite?' Shanker R, *Anaesthesia* 2002; 57: 1044., 403
- Saroya, D. *see* Yuill, G.M.
- Sasaki, R., Hirota, K. and Yamazaki, M. Ionised magnesium concentrations in non-neurosurgical patients undergoing spinal anaesthesia, 1246
- Satya-Krishna, R. *see* Boyce, H.
- Satya-Krishna, R. A response to 'Sexual hallucinations during and after sedation and anaesthesia' Balasubramanian B, Park GR, *Anaesthesia* 2003; 58: 549-53., 1149
- Saunders, P. *see* Quadri, S.
- Saxena, H.N. *see* Ranganathan, M.
- Saxena, H.N. *see* Kuehn, B.
- Saxena, N. and Ahuja, S. Laryngeal mask cuff damage during interscalene block, 600
- Scheck, T. *see* Fleischhackl, R.
- Schnaberich, A. *see* Moller, A.M.
- Schneider, T.W. *see* Heidegger, T.

- Seavell, C. *see* Mukherjee, K.
- Sehgal, A. and Bamber, J. Different clocks, different times ..., 398
- Sehgal, A. *see* Sivasankar, R.
- Self, R. A response to 'The thienopyridine derivatives (platelet adenosine diphosphate receptor antagonists), pharmacology and clinical developments', Kam PCA, Nethery CM, *Anaesthesia* 2003; 58: 28-35., 619
- Self, R.E. and Mallett, S.V. Monitoring of platelet function, 604
- Seller, C.A. and Ravalia, A. Anaesthetic implications of anorexia nervosa, 437
- Sellers, W.F. *see* Gund, V.K.
- Sellers, W.F.S. Finding a use for the lumen in the Portex Tracheal Tube Guide, 190
- Sellers, W.F.S. and Dykes, S. Don't pre-oxygenate with a 3-metre Bain circuit, 916
- Sellers, W.F.S. and Holesworth, S.P. Updating Wee's oesophageal detector, 615
- Sellers, W.F.S. and Messahel, B. Rapidly repeated intravenous boluses of salbutamol for acute severe asthma, 680
- Sellers, W.F.S. *see* Clark, M.J.
- Semonov, R.A. In response to 'Assessing the difficult airway', Hosking E, Morris EAJ, Johnson CJH, *Anaesthesia* 2003; 58: 811., 1152
- Sessler, D.I. *see* Akça, O.
- Sessler, D.I. *see* Alfonsi, P.
- Sessler, D.I. *see* Ezri, T.
- Sewell, A. and Nixon, M. Dystonic reaction to cyclizine, 928
- Shahani, A.K. *see* Costa, A.X.
- Shankar, R. A response to 'Another use for capnography', White SM, *Anaesthesia* 2003; 189-90., 620
- Shannon, P.E. False dermatome testing, 398
- Shaw, A. and Riedel, B. A response to 'Consent for observational studies in critical care: time to open Pandora's box', Reade MC, Young JD, *Anaesthesia* 2003; 58: 1-3., 617
- Shaw, J. *see* Slater, R.M.
- Sherwin, J., Awad, I.T., Sadler, P.J., Liddle, A.M. and Rowbotham, D.J. Analgesia during radial artery cannulation: Comparison of the effects of lidocaine applied by local injection or iontophoresis, 474
- Shimonaka, H. *see* Terazawa, E.
- Shingu, K. *see* Asai, T.
- Shlugman, D. *see* Farnery, A.D.
- Shneerson, J.M. Postoperative respiratory arrest in a post poliomyelitis patient (1), 608
- Short, A.I.K. *see* Wright, S.E.
- Shorten, G.D. *see* Mc Donnell, C.G.
- Shouman, Y. Consenting for direct laryngoscopy, 718
- Shutt, L.E. *see* Hall, C.E.J.
- Shutt, L.E. *see* Williamson, R.
- Siddiqi, M.M.H. *see* Khan, S.A.
- Siddiqui, M.M.H. *see* Khan, S.A.
- Sidebottom, P. *see* Ali, L.
- Siegmüller, C. A simple device as a guide to 15° tilt during Caesarean section, 934
- Sildown, D.J. *see* Singelyn, F.J.
- Sildown, D.J. *see* Denny, N.M.
- Simini, B. *see* Bertolini, G.
- Simpson, P.J. *see* Birks, R.J.S.
- Simpson, T. *see* Cook, T.M.
- Singh, A. *see* Munjal, M.
- Singh, B. and Solanki, S.S. Blocked epidural catheter: time to look beyond the catheter, 400
- Singh, I. *see* Sood, D.
- Singelyn, F.J., Denny, N.M., Barber, N. and Sildown, D.J. Evaluation of an insulated Tushy needle system for the placement of interscalene brachial plexus catheters, 1136
- Singhal, V. *see* Ahmed, S.M.
- Sinha, P.K. and Ambesh, S.P. Pre-operative psychosis following oral lorazepam, 1036
- Sivanandan, I., Morris, E. and Soar, J. The Palm-LM (laryngeal airway) simulator, 825
- Sivasankar, R., Bahlmann, U.B., Stacey, M.R., Sehgal, A., Hughes, R.C. and Hall, J.E. An evaluation of the modified Airway Management Device, 558
- Skilton, R. Sterilisation of laryngoscope blades, 921
- Slater, R.M. and Shaw, J. Adverse events following NPSA guidelines, 817
- Slater, R.M. *see* Lam, S.
- Smalley, P. *see* Johnson, T.W.
- Smart, N.G., Varveris, D.A. and Hivey, S. Patient refusal of risk information and consent, 1120
- Smith, A.F., Patient information, risk and choice, 409
- Smith, A.F., Mort, M., Goodwin, D. and Pope, C. Making monitoring 'work': human-machine interaction and patient safety in anaesthesia, 1070
- Smith, C. and Clark, R. Airway equipment failure due to a new staff member in Sterile Services, 1033
- Smith, D. *see* Thomas, R.
- Smith, G. *see* Farling, P.
- Smith, H.L. *see* Wheeler, D.W.
- Smith, I. Editorial 2. Doing more with less, 1053
- Smith, J.M. *see* Booth, S.A.
- Smith, S. *see* O'Connor, D.
- Sneyd, R. Drugs in anaesthesia, 1183
- Snook, N.J. *see* Malarkkan, N.
- Snow, D. *see* Halkes, M.J.
- Soar, J. *see* Sivanandan, I.
- Sodhi, V. *see* Stewart, A.
- Solanki, S.S. *see* Singh, B.
- Soni, N. *see* Theaker, C.
- Soni, N. *see* Waheed, U.
- Sood, D., Rupinder Singh, M., Grewal, A., Saini, S. and Singh, I. Volume and colour coding for syringes, 290
- Sood, D. *see* Gautam, P.L.
- Sood, D. *see* Munjal, M.
- Soremekun, O. *see* Cohen, S.
- Soskin, M. *see* Green, S.
- Souter, A. and Birks, R.J.S. Syringe labeling in critical care areas, 713
- Souter, M.J. *see* Lewis, I.H.
- Spencer, G.T., Reynolds, F., Magi, E., Recine, C., Klockenbusch, B. and Cascianini, A. Postoperative respiratory arrest in a post poliomyelitis patient (2), 609
- Spencer, R. An unusual problem with pulse oximetry, 104
- Sprigge, J. *see* Dhileepan, S.
- Srirangadarshan, *see* Ramachandran, K.
- St Leger, A.S. *see* Elliott, R.A.
- Stacey, M.R. *see* Sivasankar, R.
- Stamford, J.A. *see* Jackson, R.G.M.
- Stark, J. *see* Holzer, A.
- Stedeford, J.C. *see* Martindale, S.J.
- Steiner, L.A. *see* Coles, J.P.
- Steiner, L.A., Johnston, A.J., Salvador, R., Czosnyka, M. and Menon, D.K. Validation of a noninvasive arterial blood pressure monitor in the intensive care setting, 448
- Stenz, R. *see* Carey, C.R.

- Stevens, M. *see* Qureshi, A.M.
- Stewart, A., Sodhi, V., Harper, N. and Yentis, S.M. Assessment of the effect upon maternal knowledge of an information leaflet about pain relief in labour, 1015
- Stewart, M. *see* Wilkinson, D.A.C.
- Stewart, T. *see* Ball, D.R.
- Stocker, M.E. and Montgomery, J.E. Rectal paracetamol dosages. A response to 'Plasma paracetamol concentrations after different doses of rectal paracetamol in older children. A comparison of 1 g vs. 40 mg.kg⁻¹', Howell TK, Patel D, *Anaesthesia* 2003; 58: 69–72., 618
- Stokes, M.A. *see* Crean, P.M.
- Stones, A.G.H. and Howell, P.R. An unusual complication of metoclopramide injection, 817
- Strike, P. *see* Apfel, C.C.
- Strike, P. *see* Thomas, R.
- Strunin, L. *see* Jackson, R.G.M.
- Struys, M.M.R.F. *see* Vereecke, H.E.M.
- Sturgess, J.E. and Browne, D. Complication of the combined spinal epidural technique 1, 486
- Stutley, J.E. *see* McCormick, R.N.
- Subbe, C.P., Davies, R.G., Williams, E., Rutherford, P. and Gemmell, L. Effect of introducing the Modified Early Warning score on clinical outcomes, cardio-pulmonary arrests and intensive care utilisation in acute medical admissions, 797
- Subramani, S. *see* Thomas, A.
- Suen, K.L. *see* Man, A.K.Y.
- Sugahara, K. *see* Tokumine, J.
- Suleman, M.-I. *see* Akça, O.
- Summerfield, R. *see* Holland, S.
- Sundaram, R. Predicting difficult intubation; useful or what? A response to 'Predicting difficult intubation – worthwhile exercise or pointless ritual?', *Anaesthesia* 2002; 57: 105–109., 619
- Sur, E.L. *see* Newton, D.J.
- Susmallian, S. *see* Ezri, T.
- Sutherland, A. *see* Flin, R.
- Swart, M. *see* Hanousek, J.
- Symons, J.A. *see* Myles, P.S.
- Sweeney, B. *see* Apfel, C.C.
- Syndercombe, A. *see* Haslam, N.
- Syndercombe, A. A response to 'The effect of neuromuscular blockade on the efficiency of mask ventilation of the lungs', Goodwin MWP *et al.*, *Anaesthesia* 2003; 58: 60–3., 617
- Szmuk, P. *see* Ezri, T.
- Taguchi, A. *see* Ali, S.Z.
- Takara, I. *see* Tokumine, J.
- Takasaki, Y. Transient lingual ischaemia during anaesthesia, 717
- Tamhane, P., Newton, N.I. and White, S. Anaesthetic management of quinsy in a patient with Shwachman–Diamond Syndrome, 821
- Taylor, B., Donnison, P. and Marsh, M. Paediatric intensive care training, 1024
- Taylor, C., Lim, M. and Drewery, H. Teaching airway skills, 1026
- Tenbrinck, R. *see* Hofland, J.
- Teo, A. and Fah, K.K. Isoflurane and coronary steal, 95
- Terazawa, E., Dohi, S., Akamatsu, S., Ohata, H. and Shimonaka, H. Changes in calcitonin gene-related peptide, atrial natriuretic peptide and brain natriuretic peptide in patients undergoing coronary artery bypass grafting, 223
- Theaker, C., Azadian, B. and Soni, N. The impact of *Acinetobacter baumannii* in the intensive care unit, 271
- Theodosiou, C.A. and Theodosiou, L.J. Does the Internet provide safe information for pre-anaesthetic patients?, 805
- Theodosiou, L.J. *see* Theodosiou, C.A.
- Thomas, A., Subramani, S. and Mitra, S. Tracheal ring fracture – dislodgement after Blue Rhino percutaneous tracheostomy, 1241
- Thomas, B. *see* Apfel, C.C.
- Thomas, R. and Wood, M. Anaphylaxis to rocuronium, 196
- Thomas, R., Smith, D. and Strike, P. Prospective randomised double-blind comparative study of rocuronium and pancuronium in adult patients scheduled for elective 'fast-track' cardiac surgery involving hypothermic cardiopulmonary bypass, 265
- Thomas, R. *see* Phipers, B.
- Thomas, R. A case for 'doing it in theatre', 87
- Thompson, A. and Jones, N. Caution with your arterial lines, 500
- Thompson, D.R. *see* Jefferson, P.
- Thompson, J.P. *see* Davies, A.G.
- Thoms, G.M.M. *see* Elliott, R.A.
- Thwaites, C.L. and Farrar, J.J. Magnesium sulphate as a first line therapy in the management of tetanus, 286
- Tierney, E. *see* Honan, D.
- Tiplady, B. *see* Begg, A.
- Tiplady, B. *see* Burns, R.
- Titley, C.M. *see* O'Brien, C.M.
- Tjong Joe Wai, P. A new device to facilitate blind tracheal intubation, 88
- Tokumine, J., Sugahara, K., Ura, M., Takara, I., Oshiro, M. and Owa, T. Lingual tonsil hypertrophy with difficult airway and uncontrollable bleeding, 390
- Tomlinson, A. Anaesthetists and care of the critically ill child, 309
- Tong, C.K.A. *see* Rodrigo, M.R.C.
- Tonnesen, R. *see* Moller, A.M.
- Torres, M.D. *see* Guasch, E.
- Townend, K. *see* Kluger, M.T.
- Townley, S. *see* Holland, S.
- Toyooka, H. *see* Watanabe, K.
- Train, J. A response to 'Post dural puncture headache', Clark MJ and Sellers WFS, *Anaesthesia* 2003; 58: 101., 618
- Train, J.J.A., Farling, P.A., McBrien, M.E. and Winder, R.J. Magnetic resonance compatible equipment, 385
- Trenfield, S. *see* McLure, H.A.
- Tsai, C.S. *see* Lu, C.C.
- Turhanoglu, S. *see* Karamaz, A.
- Turney, J.H. *see* Wright, S.E.
- Ulrich, B. *see* Heidegger, T.
- Um, W.S. *see* Kim, K.O.
- Uncles, D.R. *see* Afzaal, A.
- Unosson, M. *see* Nilsson, U.
- Ura, M. *see* Tokumine, J.
- Usichenko, T.I., Pavlovic, D. and Groth, M. The effect of auricular acupuncture on anaesthesia: a search for optimal design, 928
- Uzum, N. *see* Cohen, S.
- Van Pelt, F.D. *see* Mc Donnell, C.G.
- Vanarase, M. and Biswas, G. Diprifusor – things are not always what they seem, 1247
- Varma, S. *see* Brown, J.L.
- Varshney, S. *see* Rajasekaran, A.K.
- Varveris, D.A. *see* Smart, N.G.
- Vaughan, R.S. *see* Evans, A.
- Vaughan, R.S. Editorial 2. Extubation – yesterday and today, 949
- Veldhuis, J. *see* Bucx, M.J.L.
- Venkatanath, D. *see* Mallick, A.
- Vereecke, H.E.M., Struys, M.M.R.F. and Mortier, E.P. A comparison of bispectral index and ARX-derived auditory

- evoked potential index in measuring the clinical interaction between ketamine and propofol anaesthesia, 957
- Verghese, C. *see* Brain, A.I.J.
- Verrips, A. *see* Diagos, P.
- Verwiel, J.M.M. *see* Morgan, P.
- Viby-Mogensen, J. and Rahman, M. Research output in anaesthesia, 480
- Vickers, R.J. *see* Khan, K.Z.
- Villebro, N. *see* Moller, A.M.
- Vlachtsis, H. Emergency physicians: additional providers of emergency anaesthesia?, 185
- Vohra, S.B. *see* Dabas, R.
- Waheed, U., Williams, P., Brett, S., Baldock, G. and Soni, N. White cell count and intensive care unit outcome, 180
- Waite, A. and Macartney, I. Air – oxygen flowmeter confusion, 194
- Wali, A.R. *see* Adekanye, O.
- Walker, G. *see* Bone, E.G.
- Walmsley, D.A. and Zuck, D. Startin's pneumatic inhaler, 668
- Walsh, E. A response to 'Major incident preparation' Johnson RV, *Anaesthesia* 2003; 58: 807., 1152
- Walsh, E. In response to 'The incidence of flushing on induction of anaesthesia in patients who blush easily', Olday J *et al.*, *Anaesthesia* 2003; 58: 275–276., 622
- Walsh, E. Unbalanced Middle Ear Anaesthesia. A response to 'A comparison of total intravenous with balanced anaesthesia for middle ear surgery: effects on postoperative nausea and vomiting, pain and conditions of surgery', Mukherjee K *et al.*, *Anaesthesia* 2003; 58: 176–9., 620
- Walsh, T.S. *see* Donaldson, L.
- Wang, J.J. *see* Lu, C.C.
- Ward, M.M., Browne, B., Lim, Y.S. and Pulsford, A.H. Failure of prefilled propofol syringe, 394
- Warters, R.D. *see* Pivalizza, E.G.
- Watanabe, K., Inomata, S., Miyabe, M., Saito, S. and Toyooka, H. Cerebral hypoperfusion with systemic hypotension during common carotid ligation, 819
- Watson, A.R. and Park, G.R. Preventing loss of nasogastric tubes in the critically ill. The 'nasal lasso' improved, 498
- Watt, J.M. *see* Perris, T.M.
- Watts, J.C., Leary, T. and Ridley, S. Global performance measures in intensive care, 84
- Watts, J.C. Total intravenous anaesthesia without muscle relaxant for eye surgery in a patient with Kugelberg-Welander Syndrome, 96
- Wauchob, T. *see* King, H.
- Webber, S.J. *see* Bourne, R.S.
- Weber, F., Füssel, U., Gruber, M. and Hobbahn, J. The use of remifentanyl for intubation in paediatric patients during sevoflurane anaesthesia guided by Bispectral Index (BIS) monitoring, 749
- Weeratunga, G.U. Measuring non-invasive blood pressure in obese patients, 616
- Weiss, A. *see* Mukherjee, K.
- Weller, J., Wilson, L. and Robinson, B. Survey of change in practice following simulation-based training in crisis management, 471
- Wellesley, H. Inspired advice for the FRCA vivas, 616
- Welters, I.D. *see* Hirsch, J.
- West, M. *see* Khan, K.Z.
- West, P.D.B. *see* Nott, M.R.
- Wheeler, D.W., Whittlestone, K.D., Smith, H.L., Gupta, A.K. and Menon, D.K. on behalf of the East Anglian Peri-operative Medicine Undergraduate Teaching Forum. A web-based system for teaching, assessment and examination of the undergraduate peri-operative medicine curriculum, 1079
- White, E. and Ball, D.R. A response to 'Inadequate ventilation with the LMA ProSeal™', Gupta V S and Ravalia A, *Anaesthesia* 2003; 58: 483., 830
- White, S. *see* Tamhane, P.
- White, S.M. and Baldwin, T.J. Consent for anaesthesia, 760
- White, S.M. An unusual anaesthetic for a through-knee amputation, 397
- White, S.M. Another use for capnography, 189
- White, S.M. Editorial 1. 'Death on the table', 515
- White, S.M. Not NICE advice, 295
- White, S.M. Operative ascitic drainage in a patient with primary intestinal lymphangiectasia, 396
- Whitehurst, P. *see* O'Brien, C.M.
- Whittlestone, K.D. *see* Wheeler, D.W.
- Whyte, E., Jefferson, P. and Ball, D.R. Anorexia nervosa and the refeeding syndrome, 1025
- Whyte, E., Jefferson, P. and Ball, D.R. Cricoid ring thing, 196
- Wildsmith, J.A.W. Regional anaesthesia, 1200
- Wilkes, A.R., Raj, N. and Hall, J.E. Adverse airway events during brief nasal inhalations of volatile anaesthetics: the effect of humidity and repeated exposure on incidence in volunteers preselected by response to desflurane, 207
- Wilkes, A.R. *see* Annamaneni, R.
- Wilkes, A.R. *see* Evans, A.
- Wilkes, A.R. *see* Hodzovic, I.
- Wilkes, A.R. *see* Lim, M.M.
- Wilkes, A.R. The effect of loading on the filtration performance of breathing system filters, 562
- Wilkins, B.H. *see* Browne, G.J.
- Wilkins, M.L. *see* Booth, S.A.
- Wilkinson, D.A.C., Mc C. Schofield, N. and Stewart, M. A potential hazard with Graseby 3000 syringe pumps, 1030
- Wilkinson, D.J. A strange little book, 36
- Wilkinson, K. A response to 'Anaesthetists and care of the critically ill child', Tomlinson A, *Anaesthesia* 2003; 58: 309–11., 828
- Wilkinson, K. Anaesthetists and care of the critically ill child 3, 804
- Williams, B. *see* Raj, N.
- Williams, E. *see* Subbe, C.P.
- Williams, G. *see* Goodwin, N.
- Williams, J. *see* McLure, H.A.
- Williams, M. and Milner, Q.J.W. Postoperative analgesia following renal transplantation – current practice in the UK, 712
- Williams, M., Young, R.M. and Milner, Q.J.W. Prolonged paralysis following sequential mivacurium administration, 1032
- Williams, M.T., Rice, I., Ewen, S.P. and Elliott, S.M. A comparison of the effect of two anaesthetic techniques on surgical conditions during gynaecological laparoscopy, 574
- Williams, P. *see* Waheed, U.
- Williams, S. A sore throat in a dialysis patient, 285
- Williamson, C. *see* Crean, P.M.
- Williamson, R. Natural airway before artificial airway, 484
- Williams, R., Shutt, L.E. and Hall, C.E.J. Nasotracheal intubation for head and neck surgery, 1129
- Wilson, E. *see* Burns, R.
- Wilson, L. *see* Weller, J.
- Wilson, M. *see* Chilvers, J.P.
- Wilson, M. One handed central line technique, 1136
- Wilson, N.P. No pressure! Just feel the force..., 1135
- Wimbush, S. and Homewood, J. Malignant hyperthermia – patients don't always read the textbook, 1245

- Winder, R.J. *see* Train, J.J.A.
 Winder, R.J. *see* Farling, P.
 Winter, W. *see* Holzer, A.
 Wong, A.Y.C. and O'Regan, A.M. Gangrene of digits associated with radial artery cannulation, 1034
 Wong, C.S. *see* Lu, C.C.
 Wong, P., Chadwick, F.D. and Karovits, J. Intranasal fentanyl for postoperative analgesia after elective Caesarean section, 818
 Wood, M. *see* Thomas, R.
 Wood, R.J. *see* Duffy, M.R.
 Woodcock, T. In response to 'Consent for Anaesthesia', White SM, Baldwin TJ, *Anaesthesia* 2003; 58: 760–74., 1153
 Woolley, T. *see* Nordmann, G.R.
 Worsley, M. *see* Gray, R.A.
 Wrathall, D.W. *see* Dagg, L.E.
 Wright, J.C., Plenderleith, L. and Ridley, S.A. Long-term survival following intensive care: Subgroup analysis and comparison with the general population, 637
 Wright, S.E., Bodenham, A., Short, A.I.K. and Turney, J.H. The provision and practice of renal replacement therapy on adult intensive care units in the United Kingdom, 1063
 Yamazaki, M. *see* Sasaki, R.
 Yan, S.Y. *see* Rodrigo, M.R.C.
 Yap, J.C.M. *see* Man, A.K.Y.
 Yarrow, S., Hare, J. and Robinson, K.N. Recent trends in tracheal intubation: a retrospective analysis of 97 904 cases, 1019
 Yarrow, S. General anaesthesia and the photostimulatory reflex, 925
 Yasuda, K. *see* Morimoto, Y.
 Yentis, S. *see* Hutchinson, N.
 Yentis, S. *see* Grewal, S.
 Yentis, S.M. *see* Bolton, T.J.
 Yentis, S.M. *see* Goodwin, M.W.P.
 Yentis, S.M. *see* Hames, K.C.
 Yentis, S.M. *see* Marfin, A.G.
 Yentis, S.M. *see* Stewart, A.
 Yentis, S.M. Editorial 2. Whose distress is it anyway? 'Fetal distress' and the 30-minute rule, 732
 Yeung, C. *see* Critchley, L.A.H.
 Yew, W.S. and Hwang, N.C. Faulty unidirectional expiratory valve as a cause of rebreathing, 1239
 Yip, H.S. *see* Man, A.K.Y.
 Young, J.D. *see* Reade, M.C.
 Young, R.M. *see* Williams, M.
 Youngs, P. *see* Oldman, M.
 Yuill, G.M., Saroya, D. and Yuill, S.L. A national survey of the provision for patients with latex allergy, 775
 Yuill, S.L. *see* Yuill, G.M.
 Ziade, M.F. *see* Naja, M.Z.
 Zimmer, C.R. *see* Haslam, N.
 Zimpfer, M. *see* Holzer, A.
 Zorab, J. History of anaesthesia, 826
 Zorab, J. History of anaesthesia, 935
 Zuck, D. *see* Walmsley, D.A.
 Zuck, D. James Matthews Duncan, 825
 Zuokumor, P. Difficult central venous access – another role for the portable Doppler device (Dopplex®), 724
 Zwaal, J.W., Gupta, S. and Cole, B. Unexpected difficult intubation with Portex tracheal tube introducer, 187
 Zych, Z. and Crossley, D.J. Nasotracheal intubation, 919

Keyword index

- Acute Respiratory Distress Syndrome: epidemiology, outcome, 838
 Adrenal insufficiency: tetracosactide stimulation test, 591
 Adverse reactions, 1096
 Airway: complications, equipment, training, 571
 Airway: difficult, complications, 73
 Allergy, 275
 Anaesthesia, 17, 28, 371, 437, 466, 536, 703, 1096, 1210
 Anaesthesia, local: conscious sedation, dental sedation, 333
 Anaesthesia: analgesia, emergence, delirium, rate-pressure product, 904
 Anaesthesia: cardiovascular, 363
 Anaesthesia: complications, 520
 Anaesthesia: complications; medical errors; incidents; adverse events, 856
 Anaesthesia: conduction, 554
 Anaesthesia: conduction, nerve block, 1220
 Anaesthesia: dental, 170
 Anaesthesia: dental, paediatric, 1224
 Anaesthesia: education, 1070
 Anaesthesia: elderly, spinal, fentanyl; surgery: TURP 526
 Anaesthesia: general, 785, 1007
 Anaesthesia: history, 668
 Anaesthesia: local, 1007
 Anaesthesia: manpower, 339
 Anaesthesia: monitoring, depth of anaesthesia, 11
 Anaesthesia: nerve block, education, 688
 Anaesthesia: obstetric, 125, 428, 756, 1016
 Anaesthesia: obstetrical, 1114
 Anaesthesia: outpatient, 692
 Anaesthesia: paediatric, 568, 749
 Anaesthesia: paediatric anaesthesia, 889
 Anaesthesia: pre-operative, assessment, 117
 Anaesthesia: pre-operative, assessment, questionnaire, 874
 Anaesthesia: regional, 64
 Anaesthesia: regional, conduction, paravertebral, 365
 Anaesthesia: relaxation, 60

- Anaesthesia: risk, 962
Anaesthesia: safety, 574
Anaesthesia: sevoflurane, 531
Anaesthesia: simulation, 471
Anaesthesia: standards, 760
Anaesthesiology, 1079
Anaesthetists: attitudes, safety, human error, teamwork, 233
Anaesthetic agents: sevoflurane, isoflurane, halothane, propofol, 412
Anaesthetic drugs: ketamine, 957
Anaesthetic gases: nitrous oxide, 24, 630
Anaesthetic technique: inhalational, 207
Anaesthetic techniques, 249
Anaesthetic techniques: induction, 275
Anaesthetic techniques: intravenous, balanced, 176
Anaesthetic techniques: combined spinal-epidural, 428
Anaesthetic techniques: epidural, 1106
Anaesthetic techniques: spinal, 125
Anaesthetics intravenous: propofol, 170
Anaesthetics local: prilocaine, 6
Anaesthetics volatile: sevoflurane, 630
Anaesthesia, obstetric: assistance, labour analgesia, surgery, 578
Anaesthetics, intravenous: propofol, 217, 333, 582, 1056
Anaesthetics, volatile: desflurane, isoflurane, sevoflurane, 745
Anaesthetics, volatile: sevoflurane, 217, 951
Anaesthetics, volatile: desflurane, halothane, isoflurane, sevoflurane, potency, anaesthetic, tolerance, 207
Anaesthetics: intravenous, propofol, 802
Anaesthetics: volatile, desflurane, 24
Anaesthetics: volatile: sevoflurane, 749
Analgesia: paracetamol, 69
Analgesia: patient-controlled, 554
Analgesia: postoperative, 131
Analgesia: postoperative, intranasal, 740
Analgesics: fentanyl, 740
Analgesics: remifentanyl, 749
Anti-emetic: cyclizine, 257
Apparatus: inhaler, 668
Asthma: acute severe, 680
Atelectasis: cardiopulmonary bypass, lung recruitment, 111
Awareness: auditory evoked potential, bispectral index, end-tidal gas concentrations, 531
Bispectral index, 957
Bladder: urinary catheterisation, 587
Blood gas analysis: oximetry, 422
Blood products: fresh frozen plasma, 444
Blood warming: microwaves, 444
Blood: flow, 217
Blood: platelets, 1106
Body surface area, 50
Body temperature, 1229
Brachial plexus, 554, 1220
Brain blood flow, 24
Brain, 951
Brain: intracranial pressure, 143
Brain: blood flow, 217
Bupivacaine: nerve block, intercostal nerve, 684
Caesarean section, 277, 1114
Calcitonin gene-related peptide, 223
Calorimetry, 50
Capnography, 476
Capnography: helium, 156
Capnography: monitoring, anaesthesia, 149
Carbon dioxide: isocapnia, hypercarbia, hypocarbia, normocarbia, 536
Cardiac output: hyperoxia, 885
Cardiac screening tests: performance, 985
Cardiopulmonary bypass, 223
Cardiopulmonary resuscitation: heart rate, 432
Cerebral circulation: carbon dioxide, vasomotor reactivity, sepsis syndrome, Doppler ultrasound, 261
Children: anaesthetic techniques, rectal, 69
Clinical governance, 243
Coagulation, 1096
Communication, 1016
Complication: anxiety, 64
Complication: incidence, mortality, morbidity, perioperative, 962
Complications: thrombosis, 1056
Complications: dystonic reaction, 257
Complications: post-operative nausea and vomiting, 780
Complications: TUR syndrome, 787
Complications: aspiration, 136
Complications: awareness, 11
Complications: hypotension, 428
Complications: infections, 582
Computer Communication Networks: Internet, 1079
Complications: regurgitation, 1012
Conservation: ethics, 992
Continuing, 471
Coronary artery bypass, 223
Craniocerebral trauma, 370
Critical care outcome: white cell count, 180
Critical care: mortality, outcome prediction, 637
Critical care: haemofiltration, renal replacement therapy, 1063
Critical care: outreach, early warning scores, 882
Critical care: outreach, effectiveness, 328
Critical care: violence, abusive behaviour, 893
Critical illness, 455
Cytochrome P450, 899
Database: computer, 243
Death: coroners and medical examiners, 1204
Difficult intubation, 846
Drug interactions: midazolam, atorvastatin, 899
Drugs: diazepam, midazolam, propofol, 549
Drugs: ketamine, fentanyl, diazepam, 904
Drugs: opioids, magnesium, piritramide, 131
Early Warning scores: physiological deterioration, cardiopulmonary arrest, critical illness, intensive care, length of stay, 797
Eating disorders: anorexia nervosa, bulimia nervosa, 437
Education, 471, 1220
Education, medical: continuing, residents, 1003
Education: medical students, 1079
Endocrine: pheochromocytoma, 358
ENT: hearing loss, tinnitus, 785
Equipment, 373
Equipment: airways, laryngeal mask airway, 136
Equipment: airway management device, 558
Equipment: anaesthesia, 992
Equipment: bonfils intubation fibroscope; endoscope, 1087
Equipment: filters, 562
Equipment: fiberoptic scope, single-use bougie, 846
Equipment: gum elastic bougie, 45, 791

- Equipment: gum elastic bougie, nasendoscope, 675
 Equipment: heat and moisture exchange filters, 207
 Equipment: infusion systems, 582
 Equipment: laryngeal mask airway, 346
 Equipment: laryngeal mask airway, PA_{xpress}, 42
 Equipment: laryngeal mask, 1224
 Equipment: laryngoscopes, 998
 Equipment: laryngoscopes, decontamination, disinfection, sterilisation, 461
 Equipment: laser Doppler, 6
 Equipment: malfunction, mobile telephone, 353
 Equipment: multiple-use and single-use tracheal tube introducers, 852
 Ether, 668
- Fibre optics: methods, 777
 Free radicals: nitric oxide, 647
 Fluid therapy, 780
- Gastrointestinal tract: pressure, 1012
 Guidelines, 775
- Haematologic diseases: thrombocytopenia, 1106
 Heart: arrhythmia, prevention, 363
 Heart disease: supraaortic aortic stenosis, 568
 Hepatitis, 1096
 Hypertonic saline: extracellular fluid, plasma volume, 878
 Hypothermia: induced, 370
 Hypovolemia, 780
- Imidazoles: ondansetron, 707
 Informed consent, 1016
 Informed consent: consent forms, 760
 Injection pain, 165
 Intensive care, 1204
 Intensive care: adult, mortality, 271
 Intensive care: organisation and administration, trends, utilisation, 320
 Interdepartmental peer review: paediatric anaesthesia, 543
 Intubation: tracheal, 45, 476, 675, 777, 791, 1019, 1087
 Intubation, tracheal: difficult, 73, 852, 998, 1111
 Intubation, tracheal: fiberoptic, 734
 Intubation, tracheal: techniques, training, complications, 249
 Ions: magnesium, 363
 Iontophoresis, pain, injection, lidocaine, arterial cannulation, 474
 Ischemia, 536
- Kidney neoplasms, 466
- Laryngoscopy: laryngoscope, non-disposable, disposable equipment, 869
 Larynx: cricoid pressure, 1012
 Latex hypersensitivity, 775
 Legislation: jurisprudence, 760
 Lidocaine, 165
 Local anaesthetic, 684
 Local anaesthetics: lidocaine, 777
 Lung diseases: obstructive; emphysema, 1210
 Lungs: mechanics, 745
- Manpower: anaesthetists, 17
 Maternal mortality, 277
- Measurement techniques, 60, 630, 745
 Measurement techniques: blood flow, 6
 Measurement techniques: computers, 1101
 Measurement techniques: nuclear magnetic resonance, 143
 Mechanical ventilation: weaning, 161
 Medical, 471
 Medical audit, 277
 Medical records: health diaries, 1101
 Medicolegal, 703
 Metabolic monitoring: oxygen consumption, indirect calorimetry, 455
 Metabolic rate, 50
 Microcirculation: capillaries, 6
 Monitoring, 520
 Monitoring: auditory evoked potentials, 957
 Monitoring: bispectral index, 749
 Monitoring: electronic, 1070
 Monitoring: intra-operative, 377, 422
- Natriuretic peptide: atrial, brain, 223
 Neuromuscular block: pancuronium, rocuronium, 265
 Neuromuscular blocking agents: vecuronium, 643
 Neurosurgery, 370
 Non-invasive blood pressure monitors: intensive care, adults, 448
- Obesity, 1111
 Obstetric anaesthesia, 1092
 Operating room: personnel, 630
 Opioid: remifentanyl, 358
 Organisations: Royal College of Anaesthetists, 1003
 Outcome assessment: patient, 1101
 Oxygen consumption: anaesthesia, general, closed-circuit, fick-derived, 377
 Oxygen: oxygen, monitoring, 373
 Oxytocics: syntocinon, 277
- Pain: chronic, outcomes, audit, 243
 Pain: measurement, postoperative, 699
 Pain: mechanism, 802
 Pain: postoperative, 1007
 Patient education, 1016
 Patient safety, 1070
 Patient's rights: informed consent, 703
 Patients: comfort, 131
 Percutaneous tracheostomy: capnography, bronchoscopy, 864
 Perfusion, 536
 Peripheral nerves: sciatic nerve, lumbosacral plexus, 688
 Phosphodiesterase inhibitors: milrinone, 643
 Pilonidal sinus, 1007
 Piperazines: cyclizine, 707
 Platelet aggregation inhibitors: clopidogrel, ticlopidine, 28
 Postoperative: analgesia, pain, 587
 Postoperative complications: postoperative nausea and vomiting, 707
 Postoperative period, 1229
 Posture, 432
 Pregnancy, 1092
 Pre-operative assessment, 692
 Prion diseases: Creutzfeldt-Jacob disease, variant Creutzfeldt-Jacob, 869
 Procedure: intubation, 889
 Professional expertise, 1070
 Propofol, 165, 957

- Prostate: transurethral resection, 787
Protein, 346
- Qualitative methods, 1070
Quality control, 734
- Remifentanyl, 165
Renin-angiotensin system, 466
Restoration, 992
Resistant organisms: *Acinetobacter baumannii*, 271
Respiratory artificial: intermittent positive pressure ventilation; high frequency ventilation; non-invasive ventilation, 647
Respiratory distress syndrome, adult, 647
Respiratory tract diseases: atelectasis, 647
Risk management, 775
Risk management: hospital incident reporting; administrative structure; anonymity, blame, 856
- Salbutamol: intravenous, 680
Sexual hallucination, 549
Shivering, 1229
Shock: septic, 591
Shoulder, 554
Signs and symptoms: flushing, 275
Skin: colour, 275
Sleep deprivation, 520
Smoking: anaesthesia, postoperative complications, intensive care admission, 55
Spectroscopy: near-infrared, 77
Spinal anaesthesia, 1092
Startin, 668
Sterilisation, autoclaving, 346
Stress, 339
Surgery, 536
Surgery: adrenalectomy, 358
Surgery: caesarean section, 125, 428
Surgery: caesarean section, standards, 756
Surgery: cardiac, 365
Surgery: cardiac, thoracic, 422
Surgery: cardiac, ventricular septal defects, child, 77
Surgery: cardiovascular, 266
Surgery: daycase, 412
Surgery: dental, 170
Surgery: gynaecological, 1101
Surgery: laparoscopic, gynaecology, 574
Surgery: maxillofacial, 249
Surgery: neurological, 17
Surgery: oral, 333
Surgery: orthopaedic, 554, 785
Surgery: orthopaedic, lumbar arthrodesis, 131
Surgery: otolaryngologic, 176
Surgery: splenectomy, 1106
Sympathomimetics: phenylephrine, 777
- Teaching: educational technology, 1079
Technology: monitoring, 1070
Thoracic surgery, 1210
Tissue oxygenation: transcutaneous, subcutaneous, oxygen, 536
Tracheal, 675
Traditional Chinese medicine, 1096
- Ultrasonography, 1111
- Varicella (chickenpox), 1092
Ventilation: airway pressure, 60
Vigilance: cortical, 520
Volatile anaesthetics: sevoflurane, desflurane, 312
Vomiting: anti-emetics, incidence, 707
Vomiting: anti-emetics, nausea, 176
Vomiting: nausea, 373

